

# HYPERPRO MX CATALOGUE - SPRINGS

MANUFACTURER/MODEL	YEAR	REAR SPRING
<b>BETA</b>		
RR 250/300 2T 4,5 kg/mm	10-18	SL-MO-471-045
RR 250/300 2T 4,8 kg/mm	10-18	SL-MO-471-048
RR 250/300 2T 5,1 kg/mm	10-18	SL-MO-471-051
RR 250/300 2T 5,4 kg/mm	10-18	SL-MO-471-054
RR 250/300 2T 5,7 kg/mm	10-18	SL-MO-471-057
RR 250/300 2T 6,0 kg/mm	10-18	SL-MO-471-060
RR 250/300 2T 6,1 kg/mm	10-18	SL-MO-472-061
RR 250/300 2T 6,3 kg/mm	10-18	SL-MO-472-063
RR 250/300 2T 6,6 kg/mm	10-18	SL-MO-472-066
RR 250/300 2T 6,9 kg/mm	10-18	SL-MO-472-069
RR 250/300 2T 7,2 kg/mm	10-18	SL-MO-472-072
RR 250/300 2T 7,6 kg/mm	10-18	SL-MO-472-076
RR 250/300 2T 8,0 kg/mm	10-18	SL-MO-472-080
RR 250/300 2T 8,4 kg/mm	10-18	SL-MO-472-084
RR 250/300 2T 8,8 kg/mm	10-18	SL-MO-472-088
RR 250/300 2T 9,2 kg/mm	10-18	SL-MO-472-092
<b>HONDA</b>		
CR 125 R 4,1 kg/mm	89-07	SL-MO-450-041
CR 125 R 4,5 kg/mm	89-07	SL-MO-450-045
CR 125 R 4,8 kg/mm	89-07	SL-MO-450-048
CR 125 R 5,1 kg/mm	89-07	SL-MO-450-051
CR 125 R 5,4 kg/mm	89-07	SL-MO-450-054
CR 125 R 5,7 kg/mm	89-07	SL-MO-450-057
CR 125 R 6,0 kg/mm	89-07	SL-MO-450-060
CR 250 R 4,1 kg/mm	89-99	SL-MO-450-041
CR 250 R 4,5 kg/mm	89-99	SL-MO-450-045
CR 250 R 4,8 kg/mm	89-99	SL-MO-450-048
CR 250 R 5,1 kg/mm	89-99	SL-MO-450-051
CR 250 R 5,4 kg/mm	89-99	SL-MO-450-054
CR 250 R 5,7 kg/mm	89-99	SL-MO-450-057
CR 250 R 6,0 kg/mm	89-99	SL-MO-450-060
CR 250 R 4,5 kg/mm	00-07	SL-MO-440-045
CR 250 R 4,8 kg/mm	00-07	SL-MO-440-048
CR 250 R 5,1 kg/mm	00-07	SL-MO-440-051
CR 250 R 5,4 kg/mm	00-07	SL-MO-440-054
CR 250 R 5,7 kg/mm	00-07	SL-MO-440-057
CR 250 R 6,0 kg/mm	00-07	SL-MO-440-060
CR 500 R 4,1 kg/mm	89-01	SL-MO-450-041
CR 500 R 4,5 kg/mm	89-01	SL-MO-450-045
CR 500 R 4,8 kg/mm	89-01	SL-MO-450-048
CR 500 R 5,1 kg/mm	89-01	SL-MO-450-051
CR 500 R 5,4 kg/mm	89-01	SL-MO-450-054
CR 500 R 5,7 kg/mm	89-01	SL-MO-450-057
CR 500 R 6,0 kg/mm	89-01	SL-MO-450-060
CRF 250 R/X 4,5 KG//mm	10-14	SL-MO-460-045
CRF 250 R/X 4,8 KG//mm	10-14	SL-MO-460-048
CRF 250 R/X 5,1 KG//mm	10-14	SL-MO-460-051
CRF 250 R/X 5,4 KG//mm	10-14	SL-MO-460-054
CRF 250 R/X 5,7 KG//mm	10-14	SL-MO-460-057
CRF 250 R/X 6,0 KG//mm	10-14	SL-MO-460-060
CRF 250 R 4,5 kg/mm	04-09	SL-MO-440-045
CRF 250 R 4,8 kg/mm	04-09	SL-MO-440-048
CRF 250 R 5,1 kg/mm	04-09	SL-MO-440-051
CRF 250 R 5,4 kg/mm	04-09	SL-MO-440-054
CRF 250 R 5,7 kg/mm	04-09	SL-MO-440-057

# HYPERPRO MX CATALOGUE - SPRINGS

MANUFACTURER/MODEL	YEAR	REAR SPRING
CRF 250 R 6,0 kg/mm	04-09	SL-MO-440-060
CRF 250 R 45 N/mm	15-21	SL-MO-445-045
CRF 250 R 48 N/mm	15-21	SL-MO-445-048
CRF 250 R 51 N/mm	15-21	SL-MO-445-051
CRF 250 R 57 N/mm	15-21	SL-MO-445-057
CRF 250 R 60 N/mm	15-21	SL-MO-445-060
CRF 450 R 4,5 kg/mm	02-08	SL-MO-440-045
CRF 450 R 4,8 kg/mm	02-08	SL-MO-440-048
CRF 450 R 5,1 kg/mm	02-08	SL-MO-440-051
CRF 450 R 5,4 kg/mm	02-08	SL-MO-440-054
CRF 450 R 5,7 kg/mm	02-08	SL-MO-440-057
CRF 450 R 6,0 kg/mm	02-08	SL-MO-440-060
CRF 450 R 45 N/mm	17-21	SL-MO-445-045
CRF 450 R 48 N/mm	17-21	SL-MO-445-048
CRF 450 R 51 N/mm	17-21	SL-MO-445-051
CRF 450 R 54 N/mm	17-21	SL-MO-445-054
CRF 450 R 57 N/mm	17-21	SL-MO-445-057
CRF 450 R 60 N/mm	17-21	SL-MO-445-060
CRF 450 R/X 4,5 kg/mm	09-16	SL-MO-460-045
CRF 450 R/X 4,8 kg/mm	09-16	SL-MO-460-048
CRF 450 R/X 5,1 kg/mm	09-16	SL-MO-460-051
CRF 450 R/X 5,4 kg/mm	09-16	SL-MO-460-054
CRF 450 R/X 5,7 kg/mm	09-16	SL-MO-460-057
CRF 450 R/X 6,0 kg/mm	09-16	SL-MO-460-060
<b>KAWASAKI</b>		
KDX 200 4,1 kg/mm	89-10	SL-MO-450-041
KDX 200 4,5 kg/mm	89-10	SL-MO-450-045
KDX 200 4,8 kg/mm	89-10	SL-MO-450-048
KDX 200 5,1 kg/mm	89-10	SL-MO-450-051
KDX 200 5,4 kg/mm	89-10	SL-MO-450-054
KDX 200 5,7 kg/mm	89-10	SL-MO-450-057
KDX 200 6,0 kg/mm	89-10	SL-MO-450-060
KDX 220 4,1 kg/mm	97-10	SL-MO-450-041
KDX 220 4,5 kg/mm	97-10	SL-MO-450-045
KDX 220 4,8 kg/mm	97-10	SL-MO-450-048
KDX 220 5,1 kg/mm	97-10	SL-MO-450-051
KDX 220 5,4 kg/mm	97-10	SL-MO-450-054
KDX 220 5,7 kg/mm	97-10	SL-MO-450-057
KDX 220 6,0 kg/mm	97-10	SL-MO-450-060
KDX 400 4,5 kg/mm	03-10	SL-MO-440-045
KDX 400 4,8 kg/mm	03-10	SL-MO-440-048
KDX 400 5,1 kg/mm	03-10	SL-MO-440-051
KDX 400 5,4 kg/mm	03-10	SL-MO-440-054
KDX 400 5,7 kg/mm	03-10	SL-MO-440-057
KDX 400 6,0 kg/mm	03-10	SL-MO-440-060
KX 125 4,1 kg/mm	88-10	SL-MO-450-041
KX 125 4,5 kg/mm	88-10	SL-MO-450-045
KX 125 4,8 kg/mm	88-10	SL-MO-450-048
KX 125 5,1 kg/mm	88-10	SL-MO-450-051
KX 125 5,4 kg/mm	88-10	SL-MO-450-054
KX 125 5,7 kg/mm	88-10	SL-MO-450-057
KX 125 6,0 kg/mm	88-10	SL-MO-450-060
KX 250 4,1 kg/mm	88-10	SL-MO-450-041
KX 250 4,5 kg/mm	88-10	SL-MO-450-045
KX 250 4,8 kg/mm	88-10	SL-MO-450-048
KX 250 5,1 kg/mm	88-10	SL-MO-450-051

# HYPERPRO MX CATALOGUE - SPRINGS

MANUFACTURER/MODEL	YEAR	REAR SPRING
KX 250 5,4 kg/mm	88-10	SL-MO-450-054
KX 250 5,7 kg/mm	88-10	SL-MO-450-057
KX 250 6,0 kg/mm	88-10	SL-MO-450-060
KX 250 F 4,5 kg/mm	06-21	SL-MO-440-045
KX 250 F 4,8 kg/mm	06-21	SL-MO-440-048
KX 250 F 5,1 kg/mm	06-21	SL-MO-440-051
KX 250 F 5,4 kg/mm	06-21	SL-MO-440-054
KX 250 F 5,7 kg/mm	06-21	SL-MO-440-057
KX 250 F 6,0 kg/mm	06-21	SL-MO-440-060
KX 450 F 4,1 kg/mm	06-08	SL-MO-450-041
KX 450 F 4,5 kg/mm	06-08	SL-MO-450-045
KX 450 F 4,8 kg/mm	06-08	SL-MO-450-048
KX 450 F 5,1 kg/mm	06-08	SL-MO-450-051
KX 450 F 5,4 kg/mm	06-08	SL-MO-450-054
KX 450 F 5,7 kg/mm	06-08	SL-MO-450-057
KX 450 F 6,0 kg/mm	06-08	SL-MO-450-060
KX 450 F 4,5 kg/mm	09-18	SL-MO-460-045
KX 450 F 4,8 kg/mm	09-18	SL-MO-460-048
KX 450 F 5,1 kg/mm	09-18	SL-MO-460-051
KX 450 F 5,4 kg/mm	09-18	SL-MO-460-054
KX 450 F 5,7 kg/mm	09-18	SL-MO-460-057
KX 450 F 6,0 kg/mm	09-18	SL-MO-460-060
KX 450 F 45 N/mm	19-21	SL-MO-445-045
KX 450 F 48 N/mm	19-21	SL-MO-445-048
KX 450 F 51 N/mm	19-21	SL-MO-445-051
KX 450 F 54 N/mm	19-21	SL-MO-445-054
KX 450 F 57 N/mm	19-21	SL-MO-445-057
KX 450 F 60 N/mm	19-21	SL-MO-445-060
KX 500 4,1 kg/mm	88-04	SL-MO-450-041
KX 500 4,5 kg/mm	88-04	SL-MO-450-045
KX 500 4,8 kg/mm	88-04	SL-MO-450-048
KX 500 5,1 kg/mm	88-04	SL-MO-450-051
KX 500 5,4 kg/mm	88-04	SL-MO-450-054
KX 500 5,7 kg/mm	88-04	SL-MO-450-057
KX 500 6,0 kg/mm	88-04	SL-MO-450-060
<b>KTM</b>		
125 SX 4,5 kg/mm	97-20	SL-MO-471-045
125 SX 4,8 kg/mm	97-20	SL-MO-471-048
125 SX 5,1 kg/mm	97-20	SL-MO-471-051
125 SX 5,4 kg/mm	97-20	SL-MO-471-054
125 SX 5,7 kg/mm	97-20	SL-MO-471-057
125 SX 6,1/7,9 kg/mm	97-20	SP-MO-470-061
125 SX 6,6/7,7 kg/mm	97-20	SP-MO-470-061
125 SX 6,0 kg/mm	97-20	SL-MO-471-060
125 SX 6,1 kg/mm	97-20	SL-MO-472-061
125 SX 6,3 kg/mm	97-20	SL-MO-472-063
125 SX 6,6 kg/mm	97-20	SL-MO-472-066
125 SX 6,6/7.7 kg/mm	97-20	SP-MO-470-066
125 SX 6,9 kg/mm	97-20	SL-MO-472-069
125 SX 7,6/9,9 kg/mm	97-20	SP-MO-470-076
125 SX 7,2 kg/mm	97-20	SL-MO-472-072
125 SX 7,6 kg/mm	97-20	SL-MO-472-076
125 SX 8,1/11,4 kg/mm	97-20	SP-MO-470-080
125 SX 8,0 kg/mm	97-20	SL-MO-472-080
125 SX 8,4 kg/mm	97-20	SL-MO-472-084
125 SX 8,8 kg/mm	97-20	SL-MO-472-088

# HYPERPRO MX CATALOGUE - SPRINGS

MANUFACTURER/MODEL	YEAR	REAR SPRING
125 SX 9,0/12,0 kg/mm	97-20	SP-MO-470-090
125 SX 9,2 kg/mm	97-20	SL-MO-472-092
125 SX 9,6 kg/mm	97-20	SL-MO-472-096
200 EXC 4,5 kg/mm	99-10	SL-MO-471-045
200 EXC 4,8 kg/mm	99-10	SL-MO-471-048
200 EXC 5,1 kg/mm	99-10	SL-MO-471-051
200 EXC 5,4 kg/mm	99-10	SL-MO-471-054
200 EXC 5,7 kg/mm	99-10	SL-MO-471-057
200 EXC 6,1/7,9 kg/mm	99-10	SP-MO-470-061
200 EXC 6,6/7,7 kg/mm	99-10	SP-MO-470-061
200 EXC 6,0 kg/mm	99-10	SL-MO-471-060
200 EXC 6,1 kg/mm	99-10	SL-MO-472-061
200 EXC 6,3 kg/mm	99-10	SL-MO-472-063
200 EXC 6,6 kg/mm	99-10	SL-MO-472-066
200 EXC 6,9 kg/mm	99-10	SL-MO-472-069
200 EXC 7,6/9,9 kg/mm	99-10	SP-MO-470-076
200 EXC 7,2 kg/mm	99-10	SL-MO-472-072
200 EXC 7,6 kg/mm	99-10	SL-MO-472-076
200 EXC 8,1/11,4 kg/mm	99-10	SP-MO-470-080
200 EXC 8,0 kg/mm	99-10	SL-MO-472-080
200 EXC 8,4 kg/mm	99-10	SL-MO-472-084
200 EXC 8,8 kg/mm	99-10	SL-MO-472-088
200 EXC 9,0/12,0 kg/mm	99-10	SP-MO-470-090
200 EXC 9,2 kg/mm	99-10	SL-MO-472-092
200 EXC 9,6 kg/mm	99-10	SL-MO-472-096
200 MXC 4,5 kg/mm	98-10	SL-MO-471-045
200 MXC 4,8 kg/mm	98-10	SL-MO-471-048
200 MXC 5,1 kg/mm	98-10	SL-MO-471-051
200 MXC 5,4 kg/mm	98-10	SL-MO-471-054
200 MXC 5,7 kg/mm	98-10	SL-MO-471-057
200 MXC 6,1/7,9 kg/mm	98-10	SP-MO-470-061
200 MXC 6,6/7,7 kg/mm	98-10	SP-MO-470-061
200 MXC 6,0 kg/mm	98-10	SL-MO-471-060
200 MXC 6,1 kg/mm	98-10	SL-MO-472-061
200 MXC 6,3 kg/mm	98-10	SL-MO-472-063
200 MXC 6,6 kg/mm	98-10	SL-MO-472-066
200 MXC 6,9 kg/mm	98-10	SL-MO-472-069
200 MXC 7,6/9,9 kg/mm	98-10	SP-MO-470-076
200 MXC 7,2 kg/mm	98-10	SL-MO-472-072
200 MXC 7,6 kg/mm	98-10	SL-MO-472-076
200 MXC 8,1/11,4 kg/mm	98-10	SP-MO-470-080
200 MXC 8,0 kg/mm	98-10	SL-MO-472-080
200 MXC 8,4 kg/mm	98-10	SL-MO-472-084
200 MXC 8,8 kg/mm	98-10	SL-MO-472-088
200 MXC 9,0/12,0 kg/mm	98-10	SP-MO-470-090
200 MXC 9,2 kg/mm	98-10	SL-MO-472-092
200 MXC 9,6 kg/mm	98-10	SL-MO-472-096
200 SX 4,5 kg/mm	03-04	SL-MO-471-045
200 SX 4,8 kg/mm	03-04	SL-MO-471-048
200 SX 5,1 kg/mm	03-04	SL-MO-471-051
200 SX 5,4 kg/mm	03-04	SL-MO-471-054
200 SX 5,7 kg/mm	03-04	SL-MO-471-057
200 SX 6,1/7,9 kg/mm	03-04	SP-MO-470-061
200 SX 6,6/7,7 kg/mm	03-04	SP-MO-470-061
200 SX 6,0 kg/mm	03-04	SL-MO-471-060
200 SX 6,1 kg/mm	03-04	SL-MO-472-061

# HYPERPRO MX CATALOGUE - SPRINGS

MANUFACTURER/MODEL	YEAR	REAR SPRING
200 SX 6,3 kg/mm	03-04	SL-MO-472-063
200 SX 6,6 kg/mm	03-04	SL-MO-472-066
200 SX 6,9 kg/mm	03-04	SL-MO-472-069
200 SX 7,6/9,9 kg/mm	03-04	SP-MO-470-076
200 SX 7,2 kg/mm	03-04	SL-MO-472-072
200 SX 7,6 kg/mm	03-04	SL-MO-472-076
200 SX 8,1/11,4 kg/mm	03-04	SP-MO-470-080
200 SX 8,0 kg/mm	03-04	SL-MO-472-080
200 SX 8,4 kg/mm	03-04	SL-MO-472-084
200 SX 8,8 kg/mm	03-04	SL-MO-472-088
200 SX 9,0/12,0 kg/mm	03-04	SP-MO-470-090
200 SX 9,2 kg/mm	03-04	SL-MO-472-092
200 SX 9,6 kg/mm	03-04	SL-MO-472-096
250 EXC 4,5 kg/mm	98-15	SL-MO-471-045
250 EXC 4,8 kg/mm	98-15	SL-MO-471-048
250 EXC 5.1 kg/mm	98-15	SL-MO-471-051
250 EXC 5.4 kg/mm	98-15	SL-MO-471-054
250 EXC 5.7 kg/mm	98-15	SL-MO-471-057
250 EXC 6,1/7,9 kg/mm	98-15	SP-MO-470-061
250 EXC 6,6/7,7 kg/mm	98-15	SP-MO-470-061
250 EXC 6.0 kg/mm	98-15	SL-MO-471-060
250 EXC 6.1 kg/mm	98-15	SL-MO-472-061
250 EXC 6.3 kg/mm	98-15	SL-MO-472-063
250 EXC 6.6 kg/mm	98-15	SL-MO-472-066
250 EXC 6,6/7.7 kg/mm	98-15	SP-MO-470-066
250 EXC 6.9 kg/mm	98-15	SL-MO-472-069
250 EXC 7,6/9,9 kg/mm	98-15	SP-MO-470-076
250 EXC 7.2 kg/mm	98-15	SL-MO-472-072
250 EXC 7.6 kg/mm	98-15	SL-MO-472-076
250 EXC 8,1/11,4 kg/mm	98-15	SP-MO-470-080
250 EXC 8.0 kg/mm	98-15	SL-MO-472-080
250 EXC 8.4 kg/mm	98-15	SL-MO-472-084
250 EXC 8.8 kg/mm	98-15	SL-MO-472-088
250 EXC 9,0/12,0 kg/mm	98-15	SP-MO-470-090
250 EXC 9.2 kg/mm	98-15	SL-MO-472-092
250 EXC 9,6 kg/mm	98-15	SL-MO-472-096
250 EXC 54/70 N/mm	17-19	SP-MO-473-054
250 EXC 57/74 N/mm	17-19	SP-MO-473-057
250 EXC 60/80 N/mm	17-19	SP-MO-473-060
250 EXC 63/84 N/mm	17-19	SP-MO-473-063
250 EXC 66/90 N/mm	17-19	SP-MO-473-066
250 EXC-F 54/70 N/mm	17-19	SP-MO-473-054
250 EXC-F 57/74 N/mm	17-19	SP-MO-473-057
250 EXC-F 60/80 N/mm	17-19	SP-MO-473-060
250 EXC-F 63/84 N/mm	17-19	SP-MO-473-063
250 EXC-F 66/90 N/mm	17-19	SP-MO-473-066
250 SX 4.5 kg/mm	98-20	SL-MO-471-045
250 SX 4.8 kg/mm	98-20	SL-MO-471-048
250 SX 5.1 kg/mm	98-20	SL-MO-471-051
250 SX 5.4 kg/mm	98-20	SL-MO-471-054
250 SX 5.7 kg/mm	98-20	SL-MO-471-057
250 SX 6,1/7,9 kg/mm	98-20	SP-MO-470-061
250 SX 6,6/7,7 kg/mm	98-20	SP-MO-470-061
250 SX 6.0 kg/mm	98-20	SL-MO-471-060
250 SX 6.1 kg/mm	98-20	SL-MO-472-061
250 SX 6.3 kg/mm	98-20	SL-MO-472-063


# HYPERPRO MX CATALOGUE - SPRINGS

MANUFACTURER/MODEL	YEAR	REAR SPRING
250 SX 6.6 kg/mm	98-20	SL-MO-472-066
250 SX 6.9 kg/mm	98-20	SL-MO-472-069
250 SX 7,6/9,9 kg/mm	98-20	SP-MO-470-076
250 SX 7.2 kg/mm	98-20	SL-MO-472-072
250 SX 7.6 kg/mm	98-20	SL-MO-472-076
250 SX 8,1/11,4 kg/mm	98-20	SP-MO-470-080
250 SX 8.0 kg/mm	98-20	SL-MO-472-080
250 SX 8.4 kg/mm	98-20	SL-MO-472-084
250 SX 8.8 kg/mm	98-20	SL-MO-472-088
250 SX 9,0/12,0 kg/mm	98-20	SP-MO-470-090
250 SX 9.2 kg/mm	98-20	SL-MO-472-092
250 SX 9,6 kg/mm	98-20	SL-MO-472-096
250 SX F 4,5 kg/mm	09-20	SL-MO-471-045
250 SX F 4,8 kg/mm	09-20	SL-MO-471-048
250 SX F 5,1 kg/mm	09-20	SL-MO-471-051
250 SX F 5,4 kg/mm	09-20	SL-MO-471-054
250 SX F 5,7 kg/mm	09-20	SL-MO-471-057
250 SX F 5,1 kg/mm	09-20	SL-MO-471-051
250 SX F 5,4 kg/mm	09-20	SL-MO-471-054
250 SX F 5,7 kg/mm	09-20	SL-MO-471-057
250 SX F 6,0 kg/mm	09-20	SL-MO-471-060
250 SX F 6,1/7,9 kg/mm	09-20	SP-MO-470-061
250 SX F 6,6/7,7 kg/mm	09-20	SP-MO-470-061
250 SX F 6,0 kg/mm	09-20	SL-MO-471-060
250 SX F 6,1 kg/mm	09-20	SL-MO-472-061
250 SX F 6,3 kg/mm	09-20	SL-MO-472-063
250 SX F 6,6 kg/mm	09-20	SL-MO-472-066
250 SX F 6,9 kg/mm	09-20	SL-MO-472-069
250 SX F 7,6/9,9 kg/mm	09-20	SP-MO-470-076
250 SX F 7,2 kg/mm	09-20	SL-MO-472-072
250 SX F 7,6 kg/mm	09-20	SL-MO-472-076
250 SX F 8,1/11,4 kg/mm	09-20	SP-MO-470-080
250 SX F 8,0 kg/mm	09-20	SL-MO-472-080
250 SX F 8,4 kg/mm	09-20	SL-MO-472-084
250 SX F 8,8 kg/mm	09-20	SL-MO-472-088
250 SX F 9,0/12,0 kg/mm	09-20	SP-MO-470-090
250 SX F 9,2 kg/mm	09-20	SL-MO-472-092
250 SX F 9,6 kg/mm	09-20	SL-MO-472-096
300 EXC 4,5 kg/mm	98-15	SL-MO-471-045
300 EXC 4,8 kg/mm	98-15	SL-MO-471-048
300 EXC 5,1 kg/mm	98-15	SL-MO-471-051
300 EXC 5,4 kg/mm	98-15	SL-MO-471-054
300 EXC 5,7 kg/mm	98-15	SL-MO-471-057
300 EXC 6,1/7,9 kg/mm	98-15	SP-MO-470-061
300 EXC 6,6/7,7 kg/mm	98-15	SP-MO-470-061
300 EXC 6,0 kg/mm	98-15	SL-MO-471-060
300 EXC 6,1 kg/mm	98-15	SL-MO-472-061
300 EXC 6,3 kg/mm	98-15	SL-MO-472-063
300 EXC 6,6 kg/mm	98-15	SL-MO-472-066
300 EXC 6,6/7.7 kg/mm	98-15	SP-MO-470-066
300 EXC 6,9 kg/mm	98-15	SL-MO-472-069
300 EXC 7,6/9,9 kg/mm	98-15	SP-MO-470-076
300 EXC 7,2 kg/mm	98-15	SL-MO-472-072
300 EXC 7,6 kg/mm	98-15	SL-MO-472-076
300 EXC 8,1/11,4 kg/mm	98-15	SP-MO-470-080
300 EXC 8,0 kg/mm	98-15	SL-MO-472-080

# HYPERPRO MX CATALOGUE - SPRINGS

MANUFACTURER/MODEL	YEAR	REAR SPRING
300 EXC 8,4 kg/mm	98-15	SL-MO-472-084
300 EXC 8,8 kg/mm	98-15	SL-MO-472-088
300 EXC 9,0/12,0 kg/mm	98-15	SP-MO-470-090
300 EXC 9,2 kg/mm	98-15	SL-MO-472-092
300 EXC 9,6 kg/mm	98-15	SL-MO-472-096
300 EXC 54/70 N/mm	17-19	SP-MO-473-054
300 EXC 57/74 N/mm	17-19	SP-MO-473-057
300 EXC 60/80 N/mm	17-19	SP-MO-473-060
300 EXC 63/84 N/mm	17-19	SP-MO-473-063
300 EXC 66/90 N/mm	17-19	SP-MO-473-066
300 MXC 4,5 kg/mm	98-10	SL-MO-471-045
300 MXC 4,8 kg/mm	98-10	SL-MO-471-048
300 MXC 5,1 kg/mm	98-10	SL-MO-471-051
300 MXC 5,4 kg/mm	98-10	SL-MO-471-054
300 MXC 5,7 kg/mm	98-10	SL-MO-471-057
300 MXC 6,1/7,9 kg/mm	98-10	SP-MO-470-061
300 MXC 6,6/7,7 kg/mm	98-10	SP-MO-470-061
300 MXC 6,0 kg/mm	98-10	SL-MO-471-060
300 MXC 6,1 kg/mm	98-10	SL-MO-472-061
300 MXC 6,3 kg/mm	98-10	SL-MO-472-063
300 MXC 6,6 kg/mm	98-10	SL-MO-472-066
300 MXC 6,9 kg/mm	98-10	SL-MO-472-069
300 MXC 7,6/9,9 kg/mm	98-10	SP-MO-470-076
300 MXC 7,2 kg/mm	98-10	SL-MO-472-072
300 MXC 7,6 kg/mm	98-10	SL-MO-472-076
300 MXC 8,1/11,4 kg/mm	98-10	SP-MO-470-080
300 MXC 8,0 kg/mm	98-10	SL-MO-472-080
300 MXC 8,4 kg/mm	98-10	SL-MO-472-084
300 MXC 8,8 kg/mm	98-10	SL-MO-472-088
300 MXC 9,0/12,0 kg/mm	98-10	SP-MO-470-090
300 MXC 9,2 kg/mm	98-10	SL-MO-472-092
300 MXC 9,6 kg/mm	98-10	SL-MO-472-096
350 EXC-F 54/70 N/mm	17-20	SP-MO-473-054
350 EXC-F 57/74 N/mm	17-20	SP-MO-473-057
350 EXC-F 60/80 N/mm	17-20	SP-MO-473-060
350 EXC-F 63/84 N/mm	17-20	SP-MO-473-063
350 EXC-F 66/90 N/mm	17-20	SP-MO-473-066
450 EXC 4,5 kg/mm	03-11	SL-MO-471-045
450 EXC 4,8 kg/mm	03-11	SL-MO-471-048
450 EXC 5,1 kg/mm	03-11	SL-MO-471-051
450 EXC 5,4 kg/mm	03-11	SL-MO-471-054
450 EXC 5,7 kg/mm	03-11	SL-MO-471-057
450 EXC 6,1/7,9 kg/mm	03-11	SP-MO-470-061
450 EXC 6,6/7,7 kg/mm	03-11	SP-MO-470-061
450 EXC 6,0 kg/mm	03-11	SL-MO-471-060
450 EXC 6,1 kg/mm	03-11	SL-MO-472-061
450 EXC 6,3 kg/mm	03-11	SL-MO-472-063
450 EXC 6,6 kg/mm	03-11	SL-MO-472-066
450 EXC 6,9 kg/mm	03-11	SL-MO-472-069
450 EXC 7,6/9,9 kg/mm	03-11	SP-MO-470-076
450 EXC 7,2 kg/mm	03-11	SL-MO-472-072
450 EXC 7,6 kg/mm	03-11	SL-MO-472-076
450 EXC 8,1/11,4 kg/mm	03-11	SP-MO-470-080
450 EXC 8,0 kg/mm	03-11	SL-MO-472-080
450 EXC 8,4 kg/mm	03-11	SL-MO-472-084



# HYPERPRO MX CATALOGUE - SPRINGS

MANUFACTURER/MODEL	YEAR	REAR SPRING
450 EXC 8,8 kg/mm	03-11	SL-MO-472-088
450 EXC 9,0/12,0 kg/mm	03-11	SP-MO-470-090
450 EXC 9,2 kg/mm	03-11	SL-MO-472-092
450 EXC 9,6 kg/mm	03-11	SL-MO-472-096
450 EXC-F 54/70 N/mm	17-21	SP-MO-473-054
450 EXC-F 57/74 N/mm	17-21	SP-MO-473-057
450 EXC-F 60/80 N/mm	17-21	SP-MO-473-060
450 EXC-F 63/84 N/mm	17-21	SP-MO-473-063
450 EXC-F 66/90 N/mm	17-21	SP-MO-473-066
450 MXC 4,5 kg/mm	03-11	SL-MO-471-045
450 MXC 4,8 kg/mm	03-11	SL-MO-471-048
450 MXC 5,1 kg/mm	03-11	SL-MO-471-051
450 MXC 5,4 kg/mm	03-11	SL-MO-471-054
450 MXC 5,7 kg/mm	03-11	SL-MO-471-057
450 MXC 6,1/7,9 kg/mm	03-11	SP-MO-470-061
450 MXC 6,6/7,7 kg/mm	03-11	SP-MO-470-061
450 MXC 6,0 kg/mm	03-11	SL-MO-471-060
450 MXC 6,1 kg/mm	03-11	SL-MO-472-061
450 MXC 6,3 kg/mm	03-11	SL-MO-472-063
450 MXC 6,6 kg/mm	03-11	SL-MO-472-066
450 MXC 6,9 kg/mm	03-11	SL-MO-472-069
450 MXC 7,6/9,9 kg/mm	03-11	SP-MO-470-076
450 MXC 7,2 kg/mm	03-11	SL-MO-472-072
450 MXC 7,6 kg/mm	03-11	SL-MO-472-076
450 MXC 8,1/11,4 kg/mm	03-11	SP-MO-470-080
450 MXC 8,0 kg/mm	03-11	SL-MO-472-080
450 MXC 8,4 kg/mm	03-11	SL-MO-472-084
450 MXC 8,8 kg/mm	03-11	SL-MO-472-088
450 MXC 9,0/12,0 kg/mm	03-11	SP-MO-470-090
450 MXC 9,2 kg/mm	03-11	SL-MO-472-092
450 MXC 9,6 kg/mm	03-11	SL-MO-472-096
450 SX F 4,5 kg/mm	03-20	SL-MO-471-045
450 SX F 4,8 kg/mm	03-20	SL-MO-471-048
450 SX F 5,1 kg/mm	03-20	SL-MO-471-051
450 SX F 5,4 kg/mm	03-20	SL-MO-471-054
450 SX F 5,7 kg/mm	03-20	SL-MO-471-057
450 SX F 6,0 kg/mm	03-20	SL-MO-471-060
450 SX F 6,1 kg/mm	03-20	SL-MO-472-061
450 SX F 6,1/7,9 kg/mm	03-20	SP-MO-470-061
450 SX F 6,3 kg/mm	03-20	SL-MO-472-063
450 SX F 6,6 kg/mm	03-20	SL-MO-472-066
450 SX F 6,6/7,7 kg/mm	03-20	SP-MO-470-061
450 SX F 6,9 kg/mm	03-20	SL-MO-472-069
450 SX F 7,2 kg/mm	03-20	SL-MO-472-072
450 SX F 7,6 kg/mm	03-20	SL-MO-472-076
450 SX F 7,6/9,9 kg/mm	03-20	SP-MO-470-076
450 SX F 8,0 kg/mm	03-20	SL-MO-472-080
450 SX F 8,1/11,4 kg/mm	03-20	SP-MO-470-080
450 SX F 8,4 kg/mm	03-20	SL-MO-472-084
450 SX F 8,8 kg/mm	03-20	SL-MO-472-088
450 SX F 9,0/12,0 kg/mm	03-20	SP-MO-470-090
450 SX F 9,2 kg/mm	03-20	SL-MO-472-092
450 SX F 9,6 kg/mm	03-20	SL-MO-472-096
500 EXC-F 54/70 N/mm	17-19	SP-MO-473-054
500 EXC-F 57/74 N/mm	17-19	SP-MO-473-057



# HYPERPRO MX CATALOGUE - SPRINGS

MANUFACTURER/MODEL	YEAR	REAR SPRING
500 EXC-F 60/80 N/mm	17-19	SP-MO-473-060
500 EXC-F 63/84 N/mm	17-19	SP-MO-473-063
500 EXC-F 66/90 N/mm	17-19	SP-MO-473-066
525 EXC 4,5 kg/mm	03-10	SL-MO-471-045
525 EXC 4,8 kg/mm	03-10	SL-MO-471-048
525 EXC 5,1 kg/mm	03-10	SL-MO-471-051
525 EXC 5,4 kg/mm	03-10	SL-MO-471-054
525 EXC 5,7 kg/mm	03-10	SL-MO-471-057
525 EXC 6,1/7,9 kg/mm	03-10	SP-MO-470-061
525 EXC 6,6/7,7 kg/mm	03-10	SP-MO-470-061
525 EXC 6,0 kg/mm	03-10	SL-MO-471-060
525 EXC 6,1 kg/mm	03-10	SL-MO-472-061
525 EXC 6,3 kg/mm	03-10	SP-MO-472-063
525 EXC 6,6 kg/mm	03-10	SL-MO-472-066
525 EXC 6,9 kg/mm	03-10	SL-MO-472-069
525 EXC 7,6/9,9 kg/mm	03-10	SP-MO-470-076
525 EXC 7,2 kg/mm	03-10	SL-MO-472-072
525 EXC 7,6 kg/mm	03-10	SL-MO-472-076
525 EXC 8,1/11,4 kg/mm	03-10	SP-MO-470-080
525 EXC 8,0 kg/mm	03-10	SL-MO-472-080
525 EXC 8,4 kg/mm	03-10	SL-MO-472-084
525 EXC 8,8 kg/mm	03-10	SL-MO-472-088
525 EXC 9,0/12,0 kg/mm	03-10	SP-MO-470-090
525 EXC 9,2 kg/mm	03-10	SL-MO-472-092
525 EXC 9,6 kg/mm	03-10	SL-MO-472-096
525 MXC 4,5 kg/mm	03-10	SL-MO-471-045
525 MXC 4,8 kg/mm	03-10	SL-MO-471-048
525 MXC 5,1 kg/mm	03-10	SL-MO-471-051
525 MXC 5,4 kg/mm	03-10	SL-MO-471-054
525 MXC 5,7 kg/mm	03-10	SL-MO-471-057
525 MXC 6,1/7,9 kg/mm	03-10	SP-MO-470-061
525 MXC 6,6/7,7 kg/mm	03-10	SP-MO-470-061
525 MXC 6,0 kg/mm	03-10	SL-MO-471-060
525 MXC 6,1 kg/mm	03-10	SL-MO-472-061
525 MXC 6,3 kg/mm	03-10	SL-MO-472-063
525 MXC 6,6 kg/mm	03-10	SL-MO-472-066
525 MXC 6,6/7.7 kg/mm	3-okt	SP-MO-470-066
525 MXC 6,9 kg/mm	03-10	SL-MO-472-069
525 MXC 7,6/9,9 kg/mm	03-10	SP-MO-470-076
525 MXC 7,2 kg/mm	03-10	SL-MO-472-072
525 MXC 7,6 kg/mm	03-10	SL-MO-472-076
525 MXC 8,1/11,4 kg/mm	03-10	SP-MO-470-080
525 MXC 8,0 kg/mm	03-10	SL-MO-472-080
525 MXC 8,4 kg/mm	03-10	SL-MO-472-084
525 MXC 8,8 kg/mm	03-10	SL-MO-472-088
525 MXC 9,0/12,0 kg/mm	03-10	SP-MO-470-090
525 MXC 9,2 kg/mm	03-10	SL-MO-472-092
525 MXC 9,6 kg/mm	03-10	SL-MO-472-096
525 SX 4,5 kg/mm	03-10	SL-MO-471-045
525 SX 4,8 kg/mm	03-10	SL-MO-471-048
525 SX 5,1 kg/mm	03-10	SL-MO-471-051
525 SX 5,4 kg/mm	03-10	SL-MO-471-054
525 SX 5,7 kg/mm	03-10	SL-MO-471-057
525 SX 6,1/7,9 kg/mm	03-10	SP-MO-470-061
525 SX 6,6/7,7 kg/mm	03-10	SP-MO-470-061
525 SX 6,0 kg/mm	03-10	SL-MO-471-060

# HYPERPRO MX CATALOGUE - SPRINGS

MANUFACTURER/MODEL	YEAR	REAR SPRING
525 SX 6,1 kg/mm	03-10	SL-MO-472-061
525 SX 6,3 kg/mm	03-10	SL-MO-472-063
525 SX 6,6 kg/mm	03-10	SL-MO-472-066
525 SX 6,9 kg/mm	03-10	SL-MO-472-069
525 SX 7,6/9,9 kg/mm	03-10	SP-MO-470-076
525 SX 7,2 kg/mm	03-10	SL-MO-472-072
525 SX 7,6 kg/mm	03-10	SL-MO-472-076
525 SX 8,1/11,4 kg/mm	03-10	SP-MO-470-080
525 SX 8,0 kg/mm	03-10	SL-MO-472-080
525 SX 8,4 kg/mm	03-10	SL-MO-472-084
525 SX 8,8 kg/mm	03-10	SL-MO-472-088
525 SX 9,0/12,0 kg/mm	03-10	SP-MO-470-090
525 SX 9,2 kg/mm	03-10	SL-MO-472-092
525 SX 9,6 kg/mm	03-10	SL-MO-472-096
<b>SUZUKI</b>		
DRZ 400 (E/S) 4,5 kg/mm	00-10	SL-MO-440-045
DRZ 400 (E/S) 4,8 kg/mm	00-10	SL-MO-440-048
DRZ 400 (E/S) 5,1 kg/mm	00-10	SL-MO-440-051
DRZ 400 (E/S) 5,4 kg/mm	00-10	SL-MO-440-054
DRZ 400 (E/S) 5,7 kg/mm	00-10	SL-MO-440-057
DRZ 400 (E/S) 6,0 kg/mm	00-10	SL-MO-440-060
RM 125 4,1 kg/mm	88-97	SL-MO-450-041
RM 125 4,5 kg/mm	88-97	SL-MO-450-045
RM 125 4,8 kg/mm	88-97	SL-MO-450-048
RM 125 5,1 kg/mm	88-97	SL-MO-450-051
RM 125 5,4 kg/mm	88-97	SL-MO-450-054
RM 125 5,7 kg/mm	88-97	SL-MO-450-057
RM 125 6,0 kg/mm	88-97	SL-MO-450-060
RM 125 4,5 kg/mm	98-11	SL-MO-440-045
RM 125 4,8 kg/mm	98-11	SL-MO-440-048
RM 125 5,1 kg/mm	98-11	SL-MO-440-051
RM 125 5,4 kg/mm	98-11	SL-MO-440-054
RM 125 5,7 kg/mm	98-11	SL-MO-440-057
RM 125 6,0 kg/mm	98-11	SL-MO-440-060
RM 250 4,1 kg/mm	88-97	SL-MO-450-041
RM 250 4,5 kg/mm	88-97	SL-MO-450-045
RM 250 4,8 kg/mm	88-97	SL-MO-450-048
RM 250 5,1 kg/mm	88-97	SL-MO-450-051
RM 250 5,4 kg/mm	88-97	SL-MO-450-054
RM 250 5,7 kg/mm	88-97	SL-MO-450-057
RM 250 6,0 kg/mm	88-97	SL-MO-450-060
RM 250 4,5 kg/mm	98-00	SL-MO-440-045
RM 250 4,8 kg/mm	98-00	SL-MO-440-048
RM 250 5,1 kg/mm	98-00	SL-MO-440-051
RM 250 5,4 kg/mm	98-00	SL-MO-440-054
RM 250 5,7 kg/mm	98-00	SL-MO-440-057
RM 250 6,0 kg/mm	98-00	SL-MO-440-060
RM 250 4,1 kg/mm	01-03	SL-MO-450-041
RM 250 4,5 kg/mm	01-03	SL-MO-450-045
RM 250 4,8 kg/mm	01-03	SL-MO-450-048
RM 250 5,1 kg/mm	01-03	SL-MO-450-051
RM 250 5,4 kg/mm	01-03	SL-MO-450-054
RM 250 5,7 kg/mm	01-03	SL-MO-450-057
RM 250 6,0 kg/mm	01-03	SL-MO-450-060
RM 250 4,5 kg/mm	04-11	SL-MO-440-045
RM 250 4,8 kg/mm	04-11	SL-MO-440-048

# HYPERPRO MX CATALOGUE - SPRINGS

MANUFACTURER/MODEL	YEAR	REAR SPRING
RM 250 5,1 kg/mm	04-11	SL-MO-440-051
RM 250 5,4 kg/mm	04-11	SL-MO-440-054
RM 250 5,7 kg/mm	04-11	SL-MO-440-057
RM 250 6,0 kg/mm	04-11	SL-MO-440-060
RMX 250 4,1 kg/mm	89-97	SL-MO-450-041
RMX 250 4,5 kg/mm	89-97	SL-MO-450-045
RMX 250 4,8 kg/mm	89-97	SL-MO-450-048
RMX 250 5,1 kg/mm	89-97	SL-MO-450-051
RMX 250 5,4 kg/mm	89-97	SL-MO-450-054
RMX 250 5,7 kg/mm	89-97	SL-MO-450-057
RMX 250 6,0 kg/mm	89-97	SL-MO-450-060
RM-Z 250 4,5 kg/mm	07-18	SL-MO-440-045
RM-Z 250 4,8 kg/mm	07-18	SL-MO-440-048
RM-Z 250 5,1 kg/mm	07-18	SL-MO-440-051
RM-Z 250 5,4 kg/mm	07-18	SL-MO-440-054
RM-Z 250 5,7 kg/mm	07-18	SL-MO-440-057
RM-Z 250 6,0 kg/mm	07-18	SL-MO-440-060
RM-Z 450 4,5 kg/mm	05-17	SL-MO-440-045
RM-Z 450 4,8 kg/mm	05-17	SL-MO-440-048
RM-Z 450 5,1 kg/mm	05-17	SL-MO-440-051
RM-Z 450 5,4 kg/mm	05-17	SL-MO-440-054
RM-Z 450 5,7 kg/mm	05-17	SL-MO-440-057
RM-Z 450 6,0 kg/mm	05-17	SL-MO-440-060
RM-Z 450 45 N/mm	18-21	SL-MO-445-045
RM-Z 450 48 N/mm	18-21	SL-MO-445-048
RM-Z 450 51 N/mm	18-21	SL-MO-445-051
RM-Z 450 54 N/mm	18-21	SL-MO-445-054
RM-Z 450 57 N/mm	18-21	SL-MO-445-057
RM-Z 450 60 N/mm	18-21	SL-MO-445-060
<b>YAMAHA</b>		
WR 250 4,1 kg/mm	89-97	SL-MO-450-041
WR 250 4,5 kg/mm	89-97	SL-MO-450-045
WR 250 4,8 kg/mm	89-97	SL-MO-450-048
WR 250 5,1 kg/mm	89-97	SL-MO-450-051
WR 250 5,4 kg/mm	89-97	SL-MO-450-054
WR 250 5,7 kg/mm	89-97	SL-MO-450-057
WR 250 6,0 kg/mm	89-97	SL-MO-450-060
WR 250 F 4,1 kg/mm	01-14	SL-MO-450-041
WR 250 F 4,5 kg/mm	01-14	SL-MO-450-045
WR 250 F 4,8 kg/mm	01-14	SL-MO-450-048
WR 250 F 5,1 kg/mm	01-14	SL-MO-450-051
WR 250 F 5,4 kg/mm	01-14	SL-MO-450-054
WR 250 F 5,7 kg/mm	01-14	SL-MO-450-057
WR 250 F 6,0 kg/mm	01-14	SL-MO-450-060
WR 250 F 4,5 kg/mm	15-21	SL-MO-460-045
WR 250 F 4,8 kg/mm	15-21	SL-MO-460-048
WR 250 F 5,1 kg/mm	15-21	SL-MO-460-051
WR 250 F 5,4 kg/mm	15-21	SL-MO-460-054
WR 250 F 5,7 kg/mm	15-21	SL-MO-460-057
WR 250 F 6,0 kg/mm	15-21	SL-MO-460-060
WR 450 F 4,1 kg/mm	03-15	SL-MO-450-041
WR 450 F 4,5 kg/mm	03-15	SL-MO-450-045
WR 450 F 4,8 kg/mm	03-15	SL-MO-450-048
WR 450 F 5,1 kg/mm	03-15	SL-MO-450-051
WR 450 F 5,4 kg/mm	03-15	SL-MO-450-054
WR 450 F 5,7 kg/mm	03-15	SL-MO-450-057

# HYPERPRO MX CATALOGUE - SPRINGS

MANUFACTURER/MODEL	YEAR	REAR SPRING
WR 450 F 6,0 kg/mm	03-15	SL-MO-450-060
WR 450 F 4,5 kg/mm	16-21	SL-MO-460-045
WR 450 F 4,8 kg/mm	16-21	SL-MO-460-048
WR 450 F 5,1 kg/mm	16-21	SL-MO-460-051
WR 450 F 5,4 kg/mm	16-21	SL-MO-460-054
WR 450 F 5,7 kg/mm	16-21	SL-MO-460-057
WR 450 F 6,0 kg/mm	16-21	SL-MO-460-060
YZ 125 4,1 kg/mm	88-21	SL-MO-450-041
YZ 125 4,5 kg/mm	88-21	SL-MO-450-045
YZ 125 4,8 kg/mm	88-21	SL-MO-450-048
YZ 125 5,1 kg/mm	88-21	SL-MO-450-051
YZ 125 5,4 kg/mm	88-21	SL-MO-450-054
YZ 125 5,7 kg/mm	88-21	SL-MO-450-057
YZ 125 6,0 kg/mm	88-21	SL-MO-450-060
YZ 250 4,1 kg/mm	88-21	SL-MO-450-041
YZ 250 4,5 kg/mm	88-21	SL-MO-450-045
YZ 250 4,8 kg/mm	88-21	SL-MO-450-048
YZ 250 5,1 kg/mm	88-21	SL-MO-450-051
YZ 250 5,4 kg/mm	88-21	SL-MO-450-054
YZ 250 5,7 kg/mm	88-21	SL-MO-450-057
YZ 250 6,0 kg/mm	88-21	SL-MO-450-060
YZ 250 F 4,1 kg/mm	01-13	SL-MO-450-041
YZ 250 F 4,5 kg/mm	01-13	SL-MO-450-045
YZ 250 F 4,8 kg/mm	01-13	SL-MO-450-048
YZ 250 F 5,1 kg/mm	01-13	SL-MO-450-051
YZ 250 F 5,4 kg/mm	01-13	SL-MO-450-054
YZ 250 F 5,7 kg/mm	01-13	SL-MO-450-057
YZ 250 F 6,0 kg/mm	01-13	SL-MO-450-060
YZ 250 F 4,5 kg/mm	14-21	SL-MO-460-045
YZ 250 F 4,8 kg/mm	14-21	SL-MO-460-048
YZ 250 F 5,1 kg/mm	14-21	SL-MO-460-051
YZ 250 F 5,4 kg/mm	14-21	SL-MO-460-054
YZ 250 F 5,7 kg/mm	14-21	SL-MO-460-057
YZ 250 F 6,0 kg/mm	14-21	SL-MO-460-060
YZ 450 F 4,1 kg/mm	03-09	SL-MO-450-041
YZ 450 F 4,5 kg/mm	03-09	SL-MO-450-045
YZ 450 F 4,8 kg/mm	03-09	SL-MO-450-048
YZ 450 F 5,1 kg/mm	03-09	SL-MO-450-051
YZ 450 F 5,4 kg/mm	03-09	SL-MO-450-054
YZ 450 F 5,7 kg/mm	03-09	SL-MO-450-057
YZ 450 F 6,0 kg/mm	03-09	SL-MO-450-060
YZ 450 F 4,5 kg/mm	10-21	SL-MO-460-045
YZ 450 F 4,8 kg/mm	10-21	SL-MO-460-048
YZ 450 F 5,1 kg/mm	10-21	SL-MO-460-051
YZ 450 F 5,4 kg/mm	10-21	SL-MO-460-054
YZ 450 F 5,7 kg/mm	10-21	SL-MO-460-057
YZ 450 F 6,0 kg/mm	10-21	SL-MO-460-060