

HYPERPRO MX CATALOGUE - SPRINGS

| MANUFACTURER/MODEL | YEAR | REAR SPRING |
|-------------------------|-------|---------------|
| BETA | | |
| RR 250/300 2T 4,5 KG/mm | 10-18 | SL-MO-471-045 |
| RR 250/300 2T 4,8 KG/mm | 10-18 | SL-MO-471-048 |
| RR 250/300 2T 5,1 KG/mm | 10-18 | SL-MO-471-051 |
| RR 250/300 2T 5,4 KG/mm | 10-18 | SL-MO-471-054 |
| RR 250/300 2T 5,7 KG/mm | 10-18 | SL-MO-471-057 |
| RR 250/300 2T 6,0 KG/mm | 10-18 | SL-MO-471-060 |
| RR 250/300 2T 6,1 KG/mm | 10-18 | SL-MO-472-061 |
| RR 250/300 2T 6,3 KG/mm | 10-18 | SL-MO-472-063 |
| RR 250/300 2T 6,6 KG/mm | 10-18 | SL-MO-472-066 |
| RR 250/300 2T 6,9 KG/mm | 10-18 | SL-MO-472-069 |
| RR 250/300 2T 7,2 KG/mm | 10-18 | SL-MO-472-072 |
| RR 250/300 2T 7,6 KG/mm | 10-18 | SL-MO-472-076 |
| RR 250/300 2T 8,0 KG/mm | 10-18 | SL-MO-472-080 |
| RR 250/300 2T 8,4 KG/mm | 10-18 | SL-MO-472-084 |
| RR 250/300 2T 8,8 KG/mm | 10-18 | SL-MO-472-088 |
| RR 250/300 2T 9,2 KG/mm | 10-18 | SL-MO-472-092 |
| HONDA | | |
| CR 125 R 4,1 KG/mm | 89-07 | SL-MO-450-041 |
| CR 125 R 4,5 KG/mm | 89-07 | SL-MO-450-045 |
| CR 125 R 4,8 KG/mm | 89-07 | SL-MO-450-048 |
| CR 125 R 5,1 KG/mm | 89-07 | SL-MO-450-051 |
| CR 125 R 5,4 KG/mm | 89-07 | SL-MO-450-054 |
| CR 125 R 5,7 KG/mm | 89-07 | SL-MO-450-057 |
| CR 125 R 6,0 KG/mm | 89-07 | SL-MO-450-060 |
| CR 250 R 4,1 KG/mm | 89-99 | SL-MO-450-041 |
| CR 250 R 4,5 KG/mm | 89-99 | SL-MO-450-045 |
| CR 250 R 4,8 KG/mm | 89-99 | SL-MO-450-048 |
| CR 250 R 5,1 KG/mm | 89-99 | SL-MO-450-051 |
| CR 250 R 5,4 KG/mm | 89-99 | SL-MO-450-054 |
| CR 250 R 5,7 KG/mm | 89-99 | SL-MO-450-057 |
| CR 250 R 6,0 KG/mm | 89-99 | SL-MO-450-060 |
| CR 250 R 4,5 KG/mm | 00-07 | SL-MO-440-045 |
| CR 250 R 4,8 KG/mm | 00-07 | SL-MO-440-048 |
| CR 250 R 5,1 KG/mm | 00-07 | SL-MO-440-051 |
| CR 250 R 5,4 KG/mm | 00-07 | SL-MO-440-054 |
| CR 250 R 5,7 KG/mm | 00-07 | SL-MO-440-057 |
| CR 250 R 6,0 KG/mm | 00-07 | SL-MO-440-060 |
| CR 500 R 4,1 KG/mm | 89-01 | SL-MO-450-041 |
| CR 500 R 4,5 KG/mm | 89-01 | SL-MO-450-045 |
| CR 500 R 4,8 KG/mm | 89-01 | SL-MO-450-048 |
| CR 500 R 5,1 KG/mm | 89-01 | SL-MO-450-051 |
| CR 500 R 5,4 KG/mm | 89-01 | SL-MO-450-054 |
| CR 500 R 5,7 KG/mm | 89-01 | SL-MO-450-057 |
| CR 500 R 6,0 KG/mm | 89-01 | SL-MO-450-060 |
| CRF 250 R/X 4,5 KG//mm | 10-14 | SL-MO-460-045 |
| CRF 250 R/X 4,8 KG//mm | 10-14 | SL-MO-460-048 |
| CRF 250 R/X 5,1 KG//mm | 10-14 | SL-MO-460-051 |
| CRF 250 R/X 5,4 KG//mm | 10-14 | SL-MO-460-054 |
| CRF 250 R/X 5,7 KG//mm | 10-14 | SL-MO-460-057 |
| CRF 250 R/X 6,0 KG//mm | 10-14 | SL-MO-460-060 |
| CRF 250 R 4,5 KG/mm | 04-09 | SL-MO-440-045 |
| CRF 250 R 4,8 KG/mm | 04-09 | SL-MO-440-048 |
| CRF 250 R 5,1 KG/mm | 04-09 | SL-MO-440-051 |
| CRF 250 R 5,4 KG/mm | 04-09 | SL-MO-440-054 |
| CRF 250 R 5,7 KG/mm | 04-09 | SL-MO-440-057 |
| CRF 250 R 6,0 KG/mm | 04-09 | SL-MO-440-060 |
| CRF 250 R 45 N/mm | 15-21 | SL-MO-445-045 |
| CRF 250 R 48 N/mm | 15-21 | SL-MO-445-048 |
| CRF 250 R 51 N/mm | 15-21 | SL-MO-445-051 |

HYPERPRO MX CATALOGUE - SPRINGS

| MANUFACTURER/MODEL | YEAR | REAR SPRING |
|-----------------------|-------|---------------|
| CRF 250 R 57 N/mm | 15-21 | SL-MO-445-057 |
| CRF 250 R 60 N/mm | 15-21 | SL-MO-445-060 |
| CRF 450 R 4,5 KG/mm | 02-08 | SL-MO-440-045 |
| CRF 450 R 4,8 KG/mm | 02-08 | SL-MO-440-048 |
| CRF 450 R 5,1 KG/mm | 02-08 | SL-MO-440-051 |
| CRF 450 R 5,4 KG/mm | 02-08 | SL-MO-440-054 |
| CRF 450 R 5,7 KG/mm | 02-08 | SL-MO-440-057 |
| CRF 450 R 6,0 KG/mm | 02-08 | SL-MO-440-060 |
| CRF 450 R 45 N/mm | 17-21 | SL-MO-445-045 |
| CRF 450 R 48 N/mm | 17-21 | SL-MO-445-048 |
| CRF 450 R 51 N/mm | 17-21 | SL-MO-445-051 |
| CRF 450 R 54 N/mm | 17-21 | SL-MO-445-054 |
| CRF 450 R 57 N/mm | 17-21 | SL-MO-445-057 |
| CRF 450 R 60 N/mm | 17-21 | SL-MO-445-060 |
| CRF 450 R/X 4,5 KG/mm | 09-16 | SL-MO-460-045 |
| CRF 450 R/X 4,8 KG/mm | 09-16 | SL-MO-460-048 |
| CRF 450 R/X 5,1 KG/mm | 09-16 | SL-MO-460-051 |
| CRF 450 R/X 5,4 KG/mm | 09-16 | SL-MO-460-054 |
| CRF 450 R/X 5,7 KG/mm | 09-16 | SL-MO-460-057 |
| CRF 450 R/X 6,0 KG/mm | 09-16 | SL-MO-460-060 |
| KAWASAKI | | |
| KDX 200 4,1 KG/mm | 89-10 | SL-MO-450-041 |
| KDX 200 4,5 KG/mm | 89-10 | SL-MO-450-045 |
| KDX 200 4,8 KG/mm | 89-10 | SL-MO-450-048 |
| KDX 200 5,1 KG/mm | 89-10 | SL-MO-450-051 |
| KDX 200 5,4 KG/mm | 89-10 | SL-MO-450-054 |
| KDX 200 5,7 KG/mm | 89-10 | SL-MO-450-057 |
| KDX 200 6,0 KG/mm | 89-10 | SL-MO-450-060 |
| KDX 220 4,1 KG/mm | 97-10 | SL-MO-450-041 |
| KDX 220 4,5 KG/mm | 97-10 | SL-MO-450-045 |
| KDX 220 4,8 KG/mm | 97-10 | SL-MO-450-048 |
| KDX 220 5,1 KG/mm | 97-10 | SL-MO-450-051 |
| KDX 220 5,4 KG/mm | 97-10 | SL-MO-450-054 |
| KDX 220 5,7 KG/mm | 97-10 | SL-MO-450-057 |
| KDX 220 6,0 KG/mm | 97-10 | SL-MO-450-060 |
| KDX 400 4,5 KG/mm | 03-10 | SL-MO-440-045 |
| KDX 400 4,8 KG/mm | 03-10 | SL-MO-440-048 |
| KDX 400 5,1 KG/mm | 03-10 | SL-MO-440-051 |
| KDX 400 5,4 KG/mm | 03-10 | SL-MO-440-054 |
| KDX 400 5,7 KG/mm | 03-10 | SL-MO-440-057 |
| KDX 400 6,0 KG/mm | 03-10 | SL-MO-440-060 |
| KX 125 4,1 KG/mm | 88-10 | SL-MO-450-041 |
| KX 125 4,5 KG/mm | 88-10 | SL-MO-450-045 |
| KX 125 4,8 KG/mm | 88-10 | SL-MO-450-048 |
| KX 125 5,1 KG/mm | 88-10 | SL-MO-450-051 |
| KX 125 5,4 KG/mm | 88-10 | SL-MO-450-054 |
| KX 125 5,7 KG/mm | 88-10 | SL-MO-450-057 |
| KX 125 6,0 KG/mm | 88-10 | SL-MO-450-060 |
| KX 250 4,1 KG/mm | 88-10 | SL-MO-450-041 |
| KX 250 4,5 KG/mm | 88-10 | SL-MO-450-045 |
| KX 250 4,8 KG/mm | 88-10 | SL-MO-450-048 |
| KX 250 5,1 KG/mm | 88-10 | SL-MO-450-051 |
| KX 250 5,4 KG/mm | 88-10 | SL-MO-450-054 |
| KX 250 5,7 KG/mm | 88-10 | SL-MO-450-057 |
| KX 250 6,0 KG/mm | 88-10 | SL-MO-450-060 |
| KX 250 F 4,5 KG/mm | 06-19 | SL-MO-440-045 |
| KX 250 F 4,8 KG/mm | 06-19 | SL-MO-440-048 |
| KX 250 F 5,1 KG/mm | 06-19 | SL-MO-440-051 |
| KX 250 F 5,4 KG/mm | 06-19 | SL-MO-440-054 |
| KX 250 F 5,7 KG/mm | 06-19 | SL-MO-440-057 |

HYPERPRO MX CATALOGUE - SPRINGS

| MANUFACTURER/MODEL | YEAR | REAR SPRING |
|-----------------------|-------|---------------|
| KX 250 F 6,0 KG/mm | 06-19 | SL-MO-440-060 |
| KX 450 F 4,1 KG/mm | 06-08 | SL-MO-450-041 |
| KX 450 F 4,5 KG/mm | 06-08 | SL-MO-450-045 |
| KX 450 F 4,8 KG/mm | 06-08 | SL-MO-450-048 |
| KX 450 F 5,1 KG/mm | 06-08 | SL-MO-450-051 |
| KX 450 F 5,4 KG/mm | 06-08 | SL-MO-450-054 |
| KX 450 F 5,7 KG/mm | 06-08 | SL-MO-450-057 |
| KX 450 F 6,0 KG/mm | 06-08 | SL-MO-450-060 |
| KX 450 F 4,5 KG/mm | 09-18 | SL-MO-460-045 |
| KX 450 F 4,8 KG/mm | 09-18 | SL-MO-460-048 |
| KX 450 F 5,1 KG/mm | 09-18 | SL-MO-460-051 |
| KX 450 F 5,4 KG/mm | 09-18 | SL-MO-460-054 |
| KX 450 F 5,7 KG/mm | 09-18 | SL-MO-460-057 |
| KX 450 F 6,0 KG/mm | 09-18 | SL-MO-460-060 |
| KX 450 F 45 N/mm | 19-20 | SL-MO-445-045 |
| KX 450 F 48 N/mm | 19-20 | SL-MO-445-048 |
| KX 450 F 51 N/mm | 19-20 | SL-MO-445-051 |
| KX 450 F 54 N/mm | 19-20 | SL-MO-445-054 |
| KX 450 F 57 N/mm | 19-20 | SL-MO-445-057 |
| KX 450 F 60 N/mm | 19-20 | SL-MO-445-060 |
| KX 500 4,1 KG/mm | 88-04 | SL-MO-450-041 |
| KX 500 4,5 KG/mm | 88-04 | SL-MO-450-045 |
| KX 500 4,8 KG/mm | 88-04 | SL-MO-450-048 |
| KX 500 5,1 KG/mm | 88-04 | SL-MO-450-051 |
| KX 500 5,4 KG/mm | 88-04 | SL-MO-450-054 |
| KX 500 5,7 KG/mm | 88-04 | SL-MO-450-057 |
| KX 500 6,0 KG/mm | 88-04 | SL-MO-450-060 |
| KTM | | |
| 125 SX 4,5 KG/mm | 97-20 | SL-MO-471-045 |
| 125 SX 4,8 KG/mm | 97-20 | SL-MO-471-048 |
| 125 SX 5,1 KG/mm | 97-20 | SL-MO-471-051 |
| 125 SX 5,4 KG/mm | 97-20 | SL-MO-471-054 |
| 125 SX 5,7 KG/mm | 97-20 | SL-MO-471-057 |
| 125 SX 6,1/7,9 KG/mm | 97-20 | SP-MO-470-061 |
| 125 SX 6,6/7,7 KG/mm | 97-20 | SP-MO-470-061 |
| 125 SX 6,0 KG/mm | 97-20 | SL-MO-471-060 |
| 125 SX 6,1 KG/mm | 97-20 | SL-MO-472-061 |
| 125 SX 6,3 KG/mm | 97-20 | SL-MO-472-063 |
| 125 SX 6,6 KG/mm | 97-20 | SL-MO-472-066 |
| 125 SX 6,9 KG/mm | 97-20 | SL-MO-472-069 |
| 125 SX 7,6/9,9 KG/mm | 97-20 | SP-MO-470-076 |
| 125 SX 7,2 KG/mm | 97-20 | SL-MO-472-072 |
| 125 SX 7,6 KG/mm | 97-20 | SL-MO-472-076 |
| 125 SX 8,1/11,4 KG/mm | 97-20 | SP-MO-470-080 |
| 125 SX 8,0 KG/mm | 97-20 | SL-MO-472-080 |
| 125 SX 8,4 KG/mm | 97-20 | SL-MO-472-084 |
| 125 SX 8,8 KG/mm | 97-20 | SL-MO-472-088 |
| 125 SX 9,0/12,0 KG/mm | 97-20 | SP-MO-470-090 |
| 125 SX 9,2 KG/mm | 97-20 | SL-MO-472-092 |
| 200 EXC 4,5 KG/mm | 99-10 | SL-MO-471-045 |
| 200 EXC 4,8 KG/mm | 99-10 | SL-MO-471-048 |
| 200 EXC 5,1 KG/mm | 99-10 | SL-MO-471-051 |
| 200 EXC 5,4 KG/mm | 99-10 | SL-MO-471-054 |
| 200 EXC 5,7 KG/mm | 99-10 | SL-MO-471-057 |
| 200 EXC 6,1/7,9 KG/mm | 99-10 | SP-MO-470-061 |
| 200 EXC 6,6/7,7 KG/mm | 99-10 | SP-MO-470-061 |
| 200 EXC 6,0 KG/mm | 99-10 | SL-MO-471-060 |
| 200 EXC 6,1 KG/mm | 99-10 | SL-MO-472-061 |
| 200 EXC 6,3 KG/mm | 99-10 | SL-MO-472-063 |
| 200 EXC 6,6 KG/mm | 99-10 | SL-MO-472-066 |

HYPERPRO MX CATALOGUE - SPRINGS

| MANUFACTURER/MODEL | YEAR | REAR SPRING |
|------------------------|-------|---------------|
| 200 EXC 6,9 KG/mm | 99-10 | SL-MO-472-069 |
| 200 EXC 7,6/9,9 KG/mm | 99-10 | SP-MO-470-076 |
| 200 EXC 7,2 KG/mm | 99-10 | SL-MO-472-072 |
| 200 EXC 7,6 KG/mm | 99-10 | SL-MO-472-076 |
| 200 EXC 8,1/11,4 KG/mm | 99-10 | SP-MO-470-080 |
| 200 EXC 8,0 KG/mm | 99-10 | SL-MO-472-080 |
| 200 EXC 8,4 KG/mm | 99-10 | SL-MO-472-084 |
| 200 EXC 8,8 KG/mm | 99-10 | SL-MO-472-088 |
| 200 EXC 9,0/12,0 KG/mm | 99-10 | SP-MO-470-090 |
| 200 EXC 9,2 KG/mm | 99-10 | SL-MO-472-092 |
| 200 MXC 4,5 KG/mm | 98-10 | SL-MO-471-045 |
| 200 MXC 4,8 KG/mm | 98-10 | SL-MO-471-048 |
| 200 MXC 5,1 KG/mm | 98-10 | SL-MO-471-051 |
| 200 MXC 5,4 KG/mm | 98-10 | SL-MO-471-054 |
| 200 MXC 5,7 KG/mm | 98-10 | SL-MO-471-057 |
| 200 MXC 6,1/7,9 KG/mm | 98-10 | SP-MO-470-061 |
| 200 MXC 6,6/7,7 KG/mm | 98-10 | SP-MO-470-061 |
| 200 MXC 6,0 KG/mm | 98-10 | SL-MO-471-060 |
| 200 MXC 6,1 KG/mm | 98-10 | SL-MO-472-061 |
| 200 MXC 6,3 KG/mm | 98-10 | SL-MO-472-063 |
| 200 MXC 6,6 KG/mm | 98-10 | SL-MO-472-066 |
| 200 MXC 6,9 KG/mm | 98-10 | SL-MO-472-069 |
| 200 MXC 7,6/9,9 KG/mm | 98-10 | SP-MO-470-076 |
| 200 MXC 7,2 KG/mm | 98-10 | SL-MO-472-072 |
| 200 MXC 7,6 KG/mm | 98-10 | SL-MO-472-076 |
| 200 MXC 8,1/11,4 KG/mm | 98-10 | SP-MO-470-080 |
| 200 MXC 8,0 KG/mm | 98-10 | SL-MO-472-080 |
| 200 MXC 8,4 KG/mm | 98-10 | SL-MO-472-084 |
| 200 MXC 8,8 KG/mm | 98-10 | SL-MO-472-088 |
| 200 MXC 9,0/12,0 KG/mm | 98-10 | SP-MO-470-090 |
| 200 MXC 9,2 KG/mm | 98-10 | SL-MO-472-092 |
| 200 SX 4,5 KG/mm | 03-04 | SL-MO-471-045 |
| 200 SX 4,8 KG/mm | 03-04 | SL-MO-471-048 |
| 200 SX 5,1 KG/mm | 03-04 | SL-MO-471-051 |
| 200 SX 5,4 KG/mm | 03-04 | SL-MO-471-054 |
| 200 SX 5,7 KG/mm | 03-04 | SL-MO-471-057 |
| 200 SX 6,1/7,9 KG/mm | 03-04 | SP-MO-470-061 |
| 200 SX 6,6/7,7 KG/mm | 03-04 | SP-MO-470-061 |
| 200 SX 6,0 KG/mm | 03-04 | SL-MO-471-060 |
| 200 SX 6,1 KG/mm | 03-04 | SL-MO-472-061 |
| 200 SX 6,3 KG/mm | 03-04 | SL-MO-472-063 |
| 200 SX 6,6 KG/mm | 03-04 | SL-MO-472-066 |
| 200 SX 6,9 KG/mm | 03-04 | SL-MO-472-069 |
| 200 SX 7,6/9,9 KG/mm | 03-04 | SP-MO-470-076 |
| 200 SX 7,2 KG/mm | 03-04 | SL-MO-472-072 |
| 200 SX 7,6 KG/mm | 03-04 | SL-MO-472-076 |
| 200 SX 8,1/11,4 KG/mm | 03-04 | SP-MO-470-080 |
| 200 SX 8,0 KG/mm | 03-04 | SL-MO-472-080 |
| 200 SX 8,4 KG/mm | 03-04 | SL-MO-472-084 |
| 200 SX 8,8 KG/mm | 03-04 | SL-MO-472-088 |
| 200 SX 9,0/12,0 KG/mm | 03-04 | SP-MO-470-090 |
| 200 SX 9,2 KG/mm | 03-04 | SL-MO-472-092 |
| 250 EXC 4,5 KG/mm | 98-15 | SL-MO-471-045 |
| 250 EXC 4,8 KG/mm | 98-15 | SL-MO-471-048 |
| 250 EXC 5.1 KG/mm | 98-15 | SL-MO-471-051 |
| 250 EXC 5.4 KG/mm | 98-15 | SL-MO-471-054 |
| 250 EXC 5.7 KG/mm | 98-15 | SL-MO-471-057 |
| 250 EXC 6,1/7,9 KG/mm | 98-15 | SP-MO-470-061 |
| 250 EXC 6,6/7,7 KG/mm | 98-15 | SP-MO-470-061 |
| 250 EXC 6.0 KG/mm | 98-15 | SL-MO-471-060 |

HYPERPRO MX CATALOGUE - SPRINGS

| MANUFACTURER/MODEL | YEAR | REAR SPRING |
|------------------------|-------|---------------|
| 250 EXC 6.1 KG/mm | 98-15 | SL-MO-472-061 |
| 250 EXC 6.3 KG/mm | 98-15 | SL-MO-472-063 |
| 250 EXC 6.6 KG/mm | 98-15 | SL-MO-472-066 |
| 250 EXC 6.9 KG/mm | 98-15 | SL-MO-472-069 |
| 250 EXC 7,6/9,9 KG/mm | 98-15 | SP-MO-470-076 |
| 250 EXC 7.2 KG/mm | 98-15 | SL-MO-472-072 |
| 250 EXC 7.6 KG/mm | 98-15 | SL-MO-472-076 |
| 250 EXC 8,1/11,4 KG/mm | 98-15 | SP-MO-470-080 |
| 250 EXC 8.0 KG/mm | 98-15 | SL-MO-472-080 |
| 250 EXC 8.4 KG/mm | 98-15 | SL-MO-472-084 |
| 250 EXC 8.8 KG/mm | 98-15 | SL-MO-472-088 |
| 250 EXC 9,0/12,0 KG/mm | 98-15 | SP-MO-470-090 |
| 250 EXC 9.2 KG/mm | 98-15 | SL-MO-472-092 |
| 250 EXC 54/70 N/mm | 17-19 | SP-MO-473-054 |
| 250 EXC 57/74 N/mm | 17-19 | SP-MO-473-057 |
| 250 EXC 60/80 N/mm | 17-19 | SP-MO-473-060 |
| 250 EXC 63/84 N/mm | 17-19 | SP-MO-473-063 |
| 250 EXC 66/90 N/mm | 17-19 | SP-MO-473-066 |
| 250 EXC-F 54/70 N/mm | 17-19 | SP-MO-473-054 |
| 250 EXC-F 57/74 N/mm | 17-19 | SP-MO-473-057 |
| 250 EXC-F 60/80 N/mm | 17-19 | SP-MO-473-060 |
| 250 EXC-F 63/84 N/mm | 17-19 | SP-MO-473-063 |
| 250 EXC-F 66/90 N/mm | 17-19 | SP-MO-473-066 |
| 250 SX 4.5 KG/mm | 98-20 | SL-MO-471-045 |
| 250 SX 4.8 KG/mm | 98-20 | SL-MO-471-048 |
| 250 SX 5.1 KG/mm | 98-20 | SL-MO-471-051 |
| 250 SX 5.4 KG/mm | 98-20 | SL-MO-471-054 |
| 250 SX 5.7 KG/mm | 98-20 | SL-MO-471-057 |
| 250 SX 6,1/7,9 KG/mm | 98-20 | SP-MO-470-061 |
| 250 SX 6,6/7,7 KG/mm | 98-20 | SP-MO-470-061 |
| 250 SX 6.0 KG/mm | 98-20 | SL-MO-471-060 |
| 250 SX 6.1 KG/mm | 98-20 | SL-MO-472-061 |
| 250 SX 6.3 KG/mm | 98-20 | SL-MO-472-063 |
| 250 SX 6.6 KG/mm | 98-20 | SL-MO-472-066 |
| 250 SX 6.9 KG/mm | 98-20 | SL-MO-472-069 |
| 250 SX 7,6/9,9 KG/mm | 98-20 | SP-MO-470-076 |
| 250 SX 7.2 KG/mm | 98-20 | SL-MO-472-072 |
| 250 SX 7.6 KG/mm | 98-20 | SL-MO-472-076 |
| 250 SX 8,1/11,4 KG/mm | 98-20 | SP-MO-470-080 |
| 250 SX 8.0 KG/mm | 98-20 | SL-MO-472-080 |
| 250 SX 8.4 KG/mm | 98-20 | SL-MO-472-084 |
| 250 SX 8.8 KG/mm | 98-20 | SL-MO-472-088 |
| 250 SX 9,0/12,0 KG/mm | 98-20 | SP-MO-470-090 |
| 250 SX 9.2 KG/mm | 98-20 | SL-MO-472-092 |
| 250 SX F 4,5 KG/mm | 09-20 | SL-MO-471-045 |
| 250 SX F 4,8 KG/mm | 09-20 | SL-MO-471-048 |
| 250 SX F 5,1 KG/mm | 09-20 | SL-MO-471-051 |
| 250 SX F 5,4 KG/mm | 09-20 | SL-MO-471-054 |
| 250 SX F 5,7 KG/mm | 09-20 | SL-MO-471-057 |
| 250 SX F 5,1 KG/mm | 09-20 | SL-MO-471-051 |
| 250 SX F 5,4 KG/mm | 09-20 | SL-MO-471-054 |
| 250 SX F 5,7 KG/mm | 09-20 | SL-MO-471-057 |
| 250 SX F 6,0 KG/mm | 09-20 | SL-MO-471-060 |
| 250 SX F 6,1/7,9 KG/mm | 09-20 | SP-MO-470-061 |
| 250 SX F 6,6/7,7 KG/mm | 09-20 | SP-MO-470-061 |
| 250 SX F 6,0 KG/mm | 09-20 | SL-MO-471-060 |
| 250 SX F 6,1 KG/mm | 09-20 | SL-MO-472-061 |
| 250 SX F 6,3 KG/mm | 09-20 | SL-MO-472-063 |
| 250 SX F 6,6 KG/mm | 09-20 | SL-MO-472-066 |
| 250 SX F 6,9 KG/mm | 09-20 | SL-MO-472-069 |

| |
|--|
| |
| |
| |
| |
| |

HYPERPRO MX CATALOGUE - SPRINGS

| MANUFACTURER/MODEL | YEAR | REAR SPRING |
|-------------------------|-------|---------------|
| 250 SX F 7,6/9,9 KG/mm | 09-20 | SP-MO-470-076 |
| 250 SX F 7,2 KG/mm | 09-20 | SL-MO-472-072 |
| 250 SX F 7,6 KG/mm | 09-20 | SL-MO-472-076 |
| 250 SX F 8,1/11,4 KG/mm | 09-20 | SP-MO-470-080 |
| 250 SX F 8,0 KG/mm | 09-20 | SL-MO-472-080 |
| 250 SX F 8,4 KG/mm | 09-20 | SL-MO-472-084 |
| 250 SX F 8,8 KG/mm | 09-20 | SL-MO-472-088 |
| 250 SX F 9,0/12,0 KG/mm | 09-20 | SP-MO-470-090 |
| 250 SX F 9,2 KG/mm | 09-20 | SL-MO-472-092 |
| 300 EXC 4,5 KG/mm | 98-15 | SL-MO-471-045 |
| 300 EXC 4,8 KG/mm | 98-15 | SL-MO-471-048 |
| 300 EXC 5,1 KG/mm | 98-15 | SL-MO-471-051 |
| 300 EXC 5,4 KG/mm | 98-15 | SL-MO-471-054 |
| 300 EXC 5,7 KG/mm | 98-15 | SL-MO-471-057 |
| 300 EXC 6,1/7,9 KG/mm | 98-15 | SP-MO-470-061 |
| 300 EXC 6,6/7,7 KG/mm | 98-15 | SP-MO-470-061 |
| 300 EXC 6,0 KG/mm | 98-15 | SL-MO-471-060 |
| 300 EXC 6,1 KG/mm | 98-15 | SL-MO-472-061 |
| 300 EXC 6,3 KG/mm | 98-15 | SL-MO-472-063 |
| 300 EXC 6,6 KG/mm | 98-15 | SL-MO-472-066 |
| 300 EXC 6,9 KG/mm | 98-15 | SL-MO-472-069 |
| 300 EXC 7,6/9,9 KG/mm | 98-15 | SP-MO-470-076 |
| 300 EXC 7,2 KG/mm | 98-15 | SL-MO-472-072 |
| 300 EXC 7,6 KG/mm | 98-15 | SL-MO-472-076 |
| 300 EXC 8,1/11,4 KG/mm | 98-15 | SP-MO-470-080 |
| 300 EXC 8,0 KG/mm | 98-15 | SL-MO-472-080 |
| 300 EXC 8,4 KG/mm | 98-15 | SL-MO-472-084 |
| 300 EXC 8,8 KG/mm | 98-15 | SL-MO-472-088 |
| 300 EXC 9,0/12,0 KG/mm | 98-15 | SP-MO-470-090 |
| 300 EXC 9,2 KG/mm | 98-15 | SL-MO-472-092 |
| 300 EXC 54/70 N/mm | 17-19 | SP-MO-473-054 |
| 300 EXC 57/74 N/mm | 17-19 | SP-MO-473-057 |
| 300 EXC 60/80 N/mm | 17-19 | SP-MO-473-060 |
| 300 EXC 63/84 N/mm | 17-19 | SP-MO-473-063 |
| 300 EXC 66/90 N/mm | 17-19 | SP-MO-473-066 |
| 300 MXC 4,5 KG/mm | 98-10 | SL-MO-471-045 |
| 300 MXC 4,8 KG/mm | 98-10 | SL-MO-471-048 |
| 300 MXC 5,1 KG/mm | 98-10 | SL-MO-471-051 |
| 300 MXC 5,4 KG/mm | 98-10 | SL-MO-471-054 |
| 300 MXC 5,7 KG/mm | 98-10 | SL-MO-471-057 |
| 300 MXC 6,1/7,9 KG/mm | 98-10 | SP-MO-470-061 |
| 300 MXC 6,6/7,7 KG/mm | 98-10 | SP-MO-470-061 |
| 300 MXC 6,0 KG/mm | 98-10 | SL-MO-471-060 |
| 300 MXC 6,1 KG/mm | 98-10 | SL-MO-472-061 |
| 300 MXC 6,3 KG/mm | 98-10 | SL-MO-472-063 |
| 300 MXC 6,6 KG/mm | 98-10 | SL-MO-472-066 |
| 300 MXC 6,9 KG/mm | 98-10 | SL-MO-472-069 |
| 300 MXC 7,6/9,9 KG/mm | 98-10 | SP-MO-470-076 |
| 300 MXC 7,2 KG/mm | 98-10 | SL-MO-472-072 |
| 300 MXC 7,6 KG/mm | 98-10 | SL-MO-472-076 |
| 300 MXC 8,1/11,4 KG/mm | 98-10 | SP-MO-470-080 |
| 300 MXC 8,0 KG/mm | 98-10 | SL-MO-472-080 |
| 300 MXC 8,4 KG/mm | 98-10 | SL-MO-472-084 |
| 300 MXC 8,8 KG/mm | 98-10 | SL-MO-472-088 |
| 300 MXC 9,0/12,0 KG/mm | 98-10 | SP-MO-470-090 |
| 300 MXC 9,2 KG/mm | 98-10 | SL-MO-472-092 |
| 350 EXC-F 54/70 N/mm | 17-20 | SP-MO-473-054 |
| 350 EXC-F 57/74 N/mm | 17-20 | SP-MO-473-057 |
| 350 EXC-F 60/80 N/mm | 17-20 | SP-MO-473-060 |

| |
|--|
| |
| |
| |
| |
| |

| |
|--|
| |
| |
| |

HYPERPRO MX CATALOGUE - SPRINGS

| MANUFACTURER/MODEL | YEAR | REAR SPRING |
|------------------------|-------|---------------|
| 350 EXC-F 63/84 N/mm | 17-20 | SP-MO-473-063 |
| 350 EXC-F 66/90 N/mm | 17-20 | SP-MO-473-066 |
| 450 EXC 4,5 KG/mm | 03-11 | SL-MO-471-045 |
| 450 EXC 4,8 KG/mm | 03-11 | SL-MO-471-048 |
| 450 EXC 5,1 KG/mm | 03-11 | SL-MO-471-051 |
| 450 EXC 5,4 KG/mm | 03-11 | SL-MO-471-054 |
| 450 EXC 5,7 KG/mm | 03-11 | SL-MO-471-057 |
| 450 EXC 6,1/7,9 KG/mm | 03-11 | SP-MO-470-061 |
| 450 EXC 6,6/7,7 KG/mm | 03-11 | SP-MO-470-061 |
| 450 EXC 6,0 KG/mm | 03-11 | SL-MO-471-060 |
| 450 EXC 6,1 KG/mm | 03-11 | SL-MO-472-061 |
| 450 EXC 6,3 KG/mm | 03-11 | SL-MO-472-063 |
| 450 EXC 6,6 KG/mm | 03-11 | SL-MO-472-066 |
| 450 EXC 6,9 KG/mm | 03-11 | SL-MO-472-069 |
| 450 EXC 7,6/9,9 KG/mm | 03-11 | SP-MO-470-076 |
| 450 EXC 7,2 KG/mm | 03-11 | SL-MO-472-072 |
| 450 EXC 7,6 KG/mm | 03-11 | SL-MO-472-076 |
| 450 EXC 8,1/11,4 KG/mm | 03-11 | SP-MO-470-080 |
| 450 EXC 8,0 KG/mm | 03-11 | SL-MO-472-080 |
| 450 EXC 8,4 KG/mm | 03-11 | SL-MO-472-084 |
| 450 EXC 8,8 KG/mm | 03-11 | SL-MO-472-088 |
| 450 EXC 9,0/12,0 KG/mm | 03-11 | SP-MO-470-090 |
| 450 EXC 9,2 KG/mm | 03-11 | SL-MO-472-092 |
| 450 EXC-F 54/70 N/mm | 17-19 | SP-MO-473-054 |
| 450 EXC-F 57/74 N/mm | 17-19 | SP-MO-473-057 |
| 450 EXC-F 60/80 N/mm | 17-19 | SP-MO-473-060 |
| 450 EXC-F 63/84 N/mm | 17-19 | SP-MO-473-063 |
| 450 EXC-F 66/90 N/mm | 17-19 | SP-MO-473-066 |
| 450 MXC 4,5 KG/mm | 03-11 | SL-MO-471-045 |
| 450 MXC 4,8 KG/mm | 03-11 | SL-MO-471-048 |
| 450 MXC 5,1 KG/mm | 03-11 | SL-MO-471-051 |
| 450 MXC 5,4 KG/mm | 03-11 | SL-MO-471-054 |
| 450 MXC 5,7 KG/mm | 03-11 | SL-MO-471-057 |
| 450 MXC 6,1/7,9 KG/mm | 03-11 | SP-MO-470-061 |
| 450 MXC 6,6/7,7 KG/mm | 03-11 | SP-MO-470-061 |
| 450 MXC 6,0 KG/mm | 03-11 | SL-MO-471-060 |
| 450 MXC 6,1 KG/mm | 03-11 | SL-MO-472-061 |
| 450 MXC 6,3 KG/mm | 03-11 | SL-MO-472-063 |
| 450 MXC 6,6 KG/mm | 03-11 | SL-MO-472-066 |
| 450 MXC 6,9 KG/mm | 03-11 | SL-MO-472-069 |
| 450 MXC 7,6/9,9 KG/mm | 03-11 | SP-MO-470-076 |
| 450 MXC 7,2 KG/mm | 03-11 | SL-MO-472-072 |
| 450 MXC 7,6 KG/mm | 03-11 | SL-MO-472-076 |
| 450 MXC 8,1/11,4 KG/mm | 03-11 | SP-MO-470-080 |
| 450 MXC 8,0 KG/mm | 03-11 | SL-MO-472-080 |
| 450 MXC 8,4 KG/mm | 03-11 | SL-MO-472-084 |
| 450 MXC 8,8 KG/mm | 03-11 | SL-MO-472-088 |
| 450 MXC 9,0/12,0 KG/mm | 03-11 | SP-MO-470-090 |
| 450 MXC 9,2 KG/mm | 03-11 | SL-MO-472-092 |
| 450 SX F 4,5 KG/mm | 03-20 | SL-MO-471-045 |
| 450 SX F 4,8 KG/mm | 03-20 | SL-MO-471-048 |
| 450 SX F 5,1 KG/mm | 03-20 | SL-MO-471-051 |
| 450 SX F 5,4 KG/mm | 03-20 | SL-MO-471-054 |
| 450 SX F 5,7 KG/mm | 03-20 | SL-MO-471-057 |
| 450 SX F 6,0 KG/mm | 03-20 | SL-MO-471-060 |
| 450 SX F 6,1 KG/mm | 03-20 | SL-MO-472-061 |
| 450 SX F 6,1/7,9 KG/mm | 03-20 | SP-MO-470-061 |
| 450 SX F 6,3 KG/mm | 03-20 | SL-MO-472-063 |
| 450 SX F 6,6 KG/mm | 03-20 | SL-MO-472-066 |

HYPERPRO MX CATALOGUE - SPRINGS

| MANUFACTURER/MODEL | YEAR | REAR SPRING |
|-------------------------|-------|---------------|
| 450 SX F 6,6/7,7 KG/mm | 03-20 | SP-MO-470-061 |
| 450 SX F 6,9 KG/mm | 03-20 | SL-MO-472-069 |
| 450 SX F 7,2 KG/mm | 03-20 | SL-MO-472-072 |
| 450 SX F 7,6 KG/mm | 03-20 | SL-MO-472-076 |
| 450 SX F 7,6/9,9 KG/mm | 03-20 | SP-MO-470-076 |
| 450 SX F 8,0 KG/mm | 03-20 | SL-MO-472-080 |
| 450 SX F 8,1/11,4 KG/mm | 03-20 | SP-MO-470-080 |
| 450 SX F 8,4 KG/mm | 03-20 | SL-MO-472-084 |
| 450 SX F 8,8 KG/mm | 03-20 | SL-MO-472-088 |
| 450 SX F 9,0/12,0 KG/mm | 03-20 | SP-MO-470-090 |
| 450 SX F 9,2 KG/mm | 03-20 | SL-MO-472-092 |
| 500 EXC-F 54/70 N/mm | 17-19 | SP-MO-473-054 |
| 500 EXC-F 57/74 N/mm | 17-19 | SP-MO-473-057 |
| 500 EXC-F 60/80 N/mm | 17-19 | SP-MO-473-060 |
| 500 EXC-F 63/84 N/mm | 17-19 | SP-MO-473-063 |
| 500 EXC-F 66/90 N/mm | 17-19 | SP-MO-473-066 |
| 525 EXC 4,5 KG/mm | 03-10 | SL-MO-471-045 |
| 525 EXC 4,8 KG/mm | 03-10 | SL-MO-471-048 |
| 525 EXC 5,1 KG/mm | 03-10 | SL-MO-471-051 |
| 525 EXC 5,4 KG/mm | 03-10 | SL-MO-471-054 |
| 525 EXC 5,7 KG/mm | 03-10 | SL-MO-471-057 |
| 525 EXC 6,1/7,9 KG/mm | 03-10 | SP-MO-470-061 |
| 525 EXC 6,6/7,7 KG/mm | 03-10 | SP-MO-470-061 |
| 525 EXC 6,0 KG/mm | 03-10 | SL-MO-471-060 |
| 525 EXC 6,1 KG/mm | 03-10 | SL-MO-472-061 |
| 525 EXC 6,3 KG/mm | 03-10 | SP-MO-472-063 |
| 525 EXC 6,6 KG/mm | 03-10 | SL-MO-472-066 |
| 525 EXC 6,9 KG/mm | 03-10 | SL-MO-472-069 |
| 525 EXC 7,6/9,9 KG/mm | 03-10 | SP-MO-470-076 |
| 525 EXC 7,2 KG/mm | 03-10 | SL-MO-472-072 |
| 525 EXC 7,6 KG/mm | 03-10 | SL-MO-472-076 |
| 525 EXC 8,1/11,4 KG/mm | 03-10 | SP-MO-470-080 |
| 525 EXC 8,0 KG/mm | 03-10 | SL-MO-472-080 |
| 525 EXC 8,4 KG/mm | 03-10 | SL-MO-472-084 |
| 525 EXC 8,8 KG/mm | 03-10 | SL-MO-472-088 |
| 525 EXC 9,0/12,0 KG/mm | 03-10 | SP-MO-470-090 |
| 525 EXC 9,2 KG/mm | 03-10 | SL-MO-472-092 |
| 525 MXC 4,5 KG/mm | 03-10 | SL-MO-471-045 |
| 525 MXC 4,8 KG/mm | 03-10 | SL-MO-471-048 |
| 525 MXC 5,1 KG/mm | 03-10 | SL-MO-471-051 |
| 525 MXC 5,4 KG/mm | 03-10 | SL-MO-471-054 |
| 525 MXC 5,7 KG/mm | 03-10 | SL-MO-471-057 |
| 525 MXC 6,1/7,9 KG/mm | 03-10 | SP-MO-470-061 |
| 525 MXC 6,6/7,7 KG/mm | 03-10 | SP-MO-470-061 |
| 525 MXC 6,0 KG/mm | 03-10 | SL-MO-471-060 |
| 525 MXC 6,1 KG/mm | 03-10 | SL-MO-472-061 |
| 525 MXC 6,3 KG/mm | 03-10 | SL-MO-472-063 |
| 525 MXC 6,6 KG/mm | 03-10 | SL-MO-472-066 |
| 525 MXC 6,9 KG/mm | 03-10 | SL-MO-472-069 |
| 525 MXC 7,6/9,9 KG/mm | 03-10 | SP-MO-470-076 |
| 525 MXC 7,2 KG/mm | 03-10 | SL-MO-472-072 |
| 525 MXC 7,6 KG/mm | 03-10 | SL-MO-472-076 |
| 525 MXC 8,1/11,4 KG/mm | 03-10 | SP-MO-470-080 |
| 525 MXC 8,0 KG/mm | 03-10 | SL-MO-472-080 |
| 525 MXC 8,4 KG/mm | 03-10 | SL-MO-472-084 |
| 525 MXC 8,8 KG/mm | 03-10 | SL-MO-472-088 |
| 525 MXC 9,0/12,0 KG/mm | 03-10 | SP-MO-470-090 |
| 525 MXC 9,2 KG/mm | 03-10 | SL-MO-472-092 |
| 525 SX 4,5 KG/mm | 03-10 | SL-MO-471-045 |
| 525 SX 4,8 KG/mm | 03-10 | SL-MO-471-048 |

| |
|--|
| |
| |
| |
| |
| |

HYPERPRO MX CATALOGUE - SPRINGS

| MANUFACTURER/MODEL | YEAR | REAR SPRING |
|-------------------------|-------|---------------|
| 525 SX 5,1 KG/mm | 03-10 | SL-MO-471-051 |
| 525 SX 5,4 KG/mm | 03-10 | SL-MO-471-054 |
| 525 SX 5,7 KG/mm | 03-10 | SL-MO-471-057 |
| 525 SX 6,1/7,9 KG/mm | 03-10 | SP-MO-470-061 |
| 525 SX 6,6/7,7 KG/mm | 03-10 | SP-MO-470-061 |
| 525 SX 6,0 KG/mm | 03-10 | SL-MO-471-060 |
| 525 SX 6,1 KG/mm | 03-10 | SL-MO-472-061 |
| 525 SX 6,3 KG/mm | 03-10 | SL-MO-472-063 |
| 525 SX 6,6 KG/mm | 03-10 | SL-MO-472-066 |
| 525 SX 6,9 KG/mm | 03-10 | SL-MO-472-069 |
| 525 SX 7,6/9,9 KG/mm | 03-10 | SP-MO-470-076 |
| 525 SX 7,2 KG/mm | 03-10 | SL-MO-472-072 |
| 525 SX 7,6 KG/mm | 03-10 | SL-MO-472-076 |
| 525 SX 8,1/11,4 KG/mm | 03-10 | SP-MO-470-080 |
| 525 SX 8,0 KG/mm | 03-10 | SL-MO-472-080 |
| 525 SX 8,4 KG/mm | 03-10 | SL-MO-472-084 |
| 525 SX 8,8 KG/mm | 03-10 | SL-MO-472-088 |
| 525 SX 9,0/12,0 KG/mm | 03-10 | SP-MO-470-090 |
| 525 SX 9,2 KG/mm | 03-10 | SL-MO-472-092 |
| SUZUKI | | |
| DRZ 400 (E/S) 4,5 KG/mm | 00-10 | SL-MO-440-045 |
| DRZ 400 (E/S) 4,8 KG/mm | 00-10 | SL-MO-440-048 |
| DRZ 400 (E/S) 5,1 KG/mm | 00-10 | SL-MO-440-051 |
| DRZ 400 (E/S) 5,4 KG/mm | 00-10 | SL-MO-440-054 |
| DRZ 400 (E/S) 5,7 KG/mm | 00-10 | SL-MO-440-057 |
| DRZ 400 (E/S) 6,0 KG/mm | 00-10 | SL-MO-440-060 |
| RM 125 4,1 KG/mm | 88-97 | SL-MO-450-041 |
| RM 125 4,5 KG/mm | 88-97 | SL-MO-450-045 |
| RM 125 4,8 KG/mm | 88-97 | SL-MO-450-048 |
| RM 125 5,1 KG/mm | 88-97 | SL-MO-450-051 |
| RM 125 5,4 KG/mm | 88-97 | SL-MO-450-054 |
| RM 125 5,7 KG/mm | 88-97 | SL-MO-450-057 |
| RM 125 6,0 KG/mm | 88-97 | SL-MO-450-060 |
| RM 125 4,5 KG/mm | 98-11 | SL-MO-440-045 |
| RM 125 4,8 KG/mm | 98-11 | SL-MO-440-048 |
| RM 125 5,1 KG/mm | 98-11 | SL-MO-440-051 |
| RM 125 5,4 KG/mm | 98-11 | SL-MO-440-054 |
| RM 125 5,7 KG/mm | 98-11 | SL-MO-440-057 |
| RM 125 6,0 KG/mm | 98-11 | SL-MO-440-060 |
| RM 250 4,1 KG/mm | 88-97 | SL-MO-450-041 |
| RM 250 4,5 KG/mm | 88-97 | SL-MO-450-045 |
| RM 250 4,8 KG/mm | 88-97 | SL-MO-450-048 |
| RM 250 5,1 KG/mm | 88-97 | SL-MO-450-051 |
| RM 250 5,4 KG/mm | 88-97 | SL-MO-450-054 |
| RM 250 5,7 KG/mm | 88-97 | SL-MO-450-057 |
| RM 250 6,0 KG/mm | 88-97 | SL-MO-450-060 |
| RM 250 4,5 KG/mm | 98-00 | SL-MO-440-045 |
| RM 250 4,8 KG/mm | 98-00 | SL-MO-440-048 |
| RM 250 5,1 KG/mm | 98-00 | SL-MO-440-051 |
| RM 250 5,4 KG/mm | 98-00 | SL-MO-440-054 |
| RM 250 5,7 KG/mm | 98-00 | SL-MO-440-057 |
| RM 250 6,0 KG/mm | 98-00 | SL-MO-440-060 |
| RM 250 4,1 KG/mm | 01-03 | SL-MO-450-041 |
| RM 250 4,5 KG/mm | 01-03 | SL-MO-450-045 |
| RM 250 4,8 KG/mm | 01-03 | SL-MO-450-048 |
| RM 250 5,1 KG/mm | 01-03 | SL-MO-450-051 |
| RM 250 5,4 KG/mm | 01-03 | SL-MO-450-054 |
| RM 250 5,7 KG/mm | 01-03 | SL-MO-450-057 |
| RM 250 6,0 KG/mm | 01-03 | SL-MO-450-060 |
| RM 250 4,5 KG/mm | 04-11 | SL-MO-440-045 |

HYPERPRO MX CATALOGUE - SPRINGS

| MANUFACTURER/MODEL | YEAR | REAR SPRING |
|--------------------|-------|---------------|
| RM 250 4,8 KG/mm | 04-11 | SL-MO-440-048 |
| RM 250 5,1 KG/mm | 04-11 | SL-MO-440-051 |
| RM 250 5,4 KG/mm | 04-11 | SL-MO-440-054 |
| RM 250 5,7 KG/mm | 04-11 | SL-MO-440-057 |
| RM 250 6,0 KG/mm | 04-11 | SL-MO-440-060 |
| RMX 250 4,1 KG/mm | 89-97 | SL-MO-450-041 |
| RMX 250 4,5 KG/mm | 89-97 | SL-MO-450-045 |
| RMX 250 4,8 KG/mm | 89-97 | SL-MO-450-048 |
| RMX 250 5,1 KG/mm | 89-97 | SL-MO-450-051 |
| RMX 250 5,4 KG/mm | 89-97 | SL-MO-450-054 |
| RMX 250 5,7 KG/mm | 89-97 | SL-MO-450-057 |
| RMX 250 6,0 KG/mm | 89-97 | SL-MO-450-060 |
| RM-Z 250 4,5 KG/mm | 07-17 | SL-MO-440-045 |
| RM-Z 250 4,8 KG/mm | 07-17 | SL-MO-440-048 |
| RM-Z 250 5,1 KG/mm | 07-17 | SL-MO-440-051 |
| RM-Z 250 5,4 KG/mm | 07-17 | SL-MO-440-054 |
| RM-Z 250 5,7 KG/mm | 07-17 | SL-MO-440-057 |
| RM-Z 250 6,0 KG/mm | 07-17 | SL-MO-440-060 |
| RM-Z 450 4,5 KG/mm | 05-17 | SL-MO-440-045 |
| RM-Z 450 4,8 KG/mm | 05-17 | SL-MO-440-048 |
| RM-Z 450 5,1 KG/mm | 05-17 | SL-MO-440-051 |
| RM-Z 450 5,4 KG/mm | 05-17 | SL-MO-440-054 |
| RM-Z 450 5,7 KG/mm | 05-17 | SL-MO-440-057 |
| RM-Z 450 6,0 KG/mm | 05-17 | SL-MO-440-060 |
| RM-Z 450 45 N/mm | 18-21 | SL-MO-445-045 |
| RM-Z 450 48 N/mm | 18-21 | SL-MO-445-048 |
| RM-Z 450 51 N/mm | 18-21 | SL-MO-445-051 |
| RM-Z 450 54 N/mm | 18-21 | SL-MO-445-054 |
| RM-Z 450 57 N/mm | 18-21 | SL-MO-445-057 |
| RM-Z 450 60 N/mm | 18-21 | SL-MO-445-060 |
| YAMAHA | | |
| WR 250 4,1 KG/mm | 89-97 | SL-MO-450-041 |
| WR 250 4,5 KG/mm | 89-97 | SL-MO-450-045 |
| WR 250 4,8 KG/mm | 89-97 | SL-MO-450-048 |
| WR 250 5,1 KG/mm | 89-97 | SL-MO-450-051 |
| WR 250 5,4 KG/mm | 89-97 | SL-MO-450-054 |
| WR 250 5,7 KG/mm | 89-97 | SL-MO-450-057 |
| WR 250 6,0 KG/mm | 89-97 | SL-MO-450-060 |
| WR 250 F 4,1 KG/mm | 01-14 | SL-MO-450-041 |
| WR 250 F 4,5 KG/mm | 01-14 | SL-MO-450-045 |
| WR 250 F 4,8 KG/mm | 01-14 | SL-MO-450-048 |
| WR 250 F 5,1 KG/mm | 01-14 | SL-MO-450-051 |
| WR 250 F 5,4 KG/mm | 01-14 | SL-MO-450-054 |
| WR 250 F 5,7 KG/mm | 01-14 | SL-MO-450-057 |
| WR 250 F 6,0 KG/mm | 01-14 | SL-MO-450-060 |
| WR 250 F 4,5 KG/mm | 15-18 | SL-MO-460-045 |
| WR 250 F 4,8 KG/mm | 15-18 | SL-MO-460-048 |
| WR 250 F 5,1 KG/mm | 15-18 | SL-MO-460-051 |
| WR 250 F 5,4 KG/mm | 15-18 | SL-MO-460-054 |
| WR 250 F 5,7 KG/mm | 15-18 | SL-MO-460-057 |
| WR 250 F 6,0 KG/mm | 15-18 | SL-MO-460-060 |
| WR 450 F 4,1 KG/mm | 03-15 | SL-MO-450-041 |
| WR 450 F 4,5 KG/mm | 03-15 | SL-MO-450-045 |
| WR 450 F 4,8 KG/mm | 03-15 | SL-MO-450-048 |
| WR 450 F 5,1 KG/mm | 03-15 | SL-MO-450-051 |
| WR 450 F 5,4 KG/mm | 03-15 | SL-MO-450-054 |
| WR 450 F 5,7 KG/mm | 03-15 | SL-MO-450-057 |
| WR 450 F 6,0 KG/mm | 03-15 | SL-MO-450-060 |
| WR 450 F 4,5 KG/mm | 16-18 | SL-MO-460-045 |
| WR 450 F 4,8 KG/mm | 16-18 | SL-MO-460-048 |

HYPERPRO MX CATALOGUE - SPRINGS

| MANUFACTURER/MODEL | YEAR | REAR SPRING |
|--------------------|-------|---------------|
| WR 450 F 5,1 KG/mm | 16-18 | SL-MO-460-051 |
| WR 450 F 5,4 KG/mm | 16-18 | SL-MO-460-054 |
| WR 450 F 5,7 KG/mm | 16-18 | SL-MO-460-057 |
| WR 450 F 6,0 KG/mm | 16-18 | SL-MO-460-060 |
| YZ 125 4,1 KG/mm | 88-21 | SL-MO-450-041 |
| YZ 125 4,5 KG/mm | 88-21 | SL-MO-450-045 |
| YZ 125 4,8 KG/mm | 88-21 | SL-MO-450-048 |
| YZ 125 5,1 KG/mm | 88-21 | SL-MO-450-051 |
| YZ 125 5,4 KG/mm | 88-21 | SL-MO-450-054 |
| YZ 125 5,7 KG/mm | 88-21 | SL-MO-450-057 |
| YZ 125 6,0 KG/mm | 88-21 | SL-MO-450-060 |
| YZ 250 4,1 KG/mm | 88-21 | SL-MO-450-041 |
| YZ 250 4,5 KG/mm | 88-21 | SL-MO-450-045 |
| YZ 250 4,8 KG/mm | 88-21 | SL-MO-450-048 |
| YZ 250 5,1 KG/mm | 88-21 | SL-MO-450-051 |
| YZ 250 5,4 KG/mm | 88-21 | SL-MO-450-054 |
| YZ 250 5,7 KG/mm | 88-21 | SL-MO-450-057 |
| YZ 250 6,0 KG/mm | 88-21 | SL-MO-450-060 |
| YZ 250 F 4,1 KG/mm | 01-13 | SL-MO-450-041 |
| YZ 250 F 4,5 KG/mm | 01-13 | SL-MO-450-045 |
| YZ 250 F 4,8 KG/mm | 01-13 | SL-MO-450-048 |
| YZ 250 F 5,1 KG/mm | 01-13 | SL-MO-450-051 |
| YZ 250 F 5,4 KG/mm | 01-13 | SL-MO-450-054 |
| YZ 250 F 5,7 KG/mm | 01-13 | SL-MO-450-057 |
| YZ 250 F 6,0 KG/mm | 01-13 | SL-MO-450-060 |
| YZ 250 F 4,5 KG/mm | 14-21 | SL-MO-460-045 |
| YZ 250 F 4,8 KG/mm | 14-21 | SL-MO-460-048 |
| YZ 250 F 5,1 KG/mm | 14-21 | SL-MO-460-051 |
| YZ 250 F 5,4 KG/mm | 14-21 | SL-MO-460-054 |
| YZ 250 F 5,7 KG/mm | 14-21 | SL-MO-460-057 |
| YZ 250 F 6,0 KG/mm | 14-21 | SL-MO-460-060 |
| YZ 450 F 4,1 KG/mm | 03-09 | SL-MO-450-041 |
| YZ 450 F 4,5 KG/mm | 03-09 | SL-MO-450-045 |
| YZ 450 F 4,8 KG/mm | 03-09 | SL-MO-450-048 |
| YZ 450 F 5,1 KG/mm | 03-09 | SL-MO-450-051 |
| YZ 450 F 5,4 KG/mm | 03-09 | SL-MO-450-054 |
| YZ 450 F 5,7 KG/mm | 03-09 | SL-MO-450-057 |
| YZ 450 F 6,0 KG/mm | 03-09 | SL-MO-450-060 |
| YZ 450 F 4,5 KG/mm | 10-21 | SL-MO-460-045 |
| YZ 450 F 4,8 KG/mm | 10-21 | SL-MO-460-048 |
| YZ 450 F 5,1 KG/mm | 10-21 | SL-MO-460-051 |
| YZ 450 F 5,4 KG/mm | 10-21 | SL-MO-460-054 |
| YZ 450 F 5,7 KG/mm | 10-21 | SL-MO-460-057 |
| YZ 450 F 6,0 KG/mm | 10-21 | SL-MO-460-060 |